











■ SIZE LISTING











The following pages list deVries International's tooled sizes that are readily available as of the date of this handbook. However, we continue to expand our list on a daily basis. If you do not find the size you require please contact deVries International for more information on availability. You may also order tooling for any combination of style, size, elastomer, spring, and case material referenced in this catalog.

Parts are listed in ascending order by shaft diameter and are shown in inch and metric sizes. A complete part number gives specifications for all seal components, including shaft size, bore size, seal width, style, outside diameter finish, and elastomer. For information on how to use the deVries International part-numbering system refer to pages 36-38.

SIZE LISTING (INCHES)











 SC	OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
 TC	.091	.500	.250	VC	2	00910500-250VC-R2
	.122	.281	.145	VC	2	01220281-145VC-R2
 VC	.125	.406	.125	VC	2	01250406-125VC-R2
		.408	.083	VB	2	01250408-083VB-C2
		.500	.125	VC	2	01250500-125VC-R2
		.500	.250	VC	2	01250500-250VC-R2
 KC	.150	.750	.358	TBR	2	01500750-358TBR-G2
	.197	.562	.250	VC	2	01970562-250VC-R2
 SBY	.250	.500	.125	VC	2	02500500-125VC-R2
		.500	.125	VC	3	02500500-125VC-R3
		.500	.188	VBY	2	02500500-188VBY-C2
		.562	.125	VC	2	02500562-125VC-R2
		.625	.180	VCS	2	02500625-180VCS-R2
		.625	.188	VB	2	02500625-188VB-C2
		.750	.250	SBY	2	02500750-250SBY-C2
		.750	.250	SC	2	02500750-250SC-R2
		.750	.250	SC	V	02500750-250SC-RV
		1.000	.344	TBR	2	02501000-344TBR-G2
 TBY		1.000	.375	KC	2	02501000-375KC-R2
		1.000	.500	DC	2	02501000-500DC-R2
 VBY	.281	.626	.250	SB	PA	02810626-250SB-GPA
		.626	.250	SB	2	02810626-250SB-G2
 KBY	.310	.750	.250	KC	2	03100750-250KC-R2
		.750	.250	KC	V	03100750-250KC-RV
		.750	.250	SC	E	03100750-250SC-RE
		.750	.250	SC	2	03100750-250SC-R2
		.870	.250	SC	2	03100870-250SC-R2
 SAX		.910	.150	VC	2	03100910-150VC-R2
	.312	.564	.125	VC	2	03120564-125VC-R2
		.625	.156	SC	2	03120625-156SC-R2
		.626	.188	VBS	2	03120626-188VBS-C2
		.687	.312	SBY	2	03120687-312SBY-C2
		.687	.313	SAX	2	03120687-313SAX-C2
 TAX		.750	.250	SAXX	2	03120750-250SAXX-C2
		.750	.250	TBHP	E	03120750-250TBHP-CE
		.750	.250	TBHP	4	03120750-250TBHP-C4
		.750	.250	TBHP	2	03120750-250TBHP-C2
		.910	.156	SC	2	03120910-156SC-R2
	.313	.563	.100	TCS	V	03130563-100TCS-RV
		.750	.172	SC	V	03130750-172SC-RV

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
.313	.750	.250	TBY	2	03130750-250TBY-C2	
.335	.718	.250	VCX	2	03350718-250VCX-R2	
.350	.700	.312	TBR	2	03500700-312TBR-G2	KCAX
.354	.850	.070	VBX	2	03540850-070VBX-C2	
	.850	.070	VBX	5	03540850-070VBX-CS	
.370	.750	.250	SC	2	03700750-250SC-R2	VAX
.373	.664	.173	SB	2	03730664-173SB-C2	
.375	.524	.125	SBY	2	03750524-125SBY-C2	
	.524	.125	SBY	V	03750524-125SBY-CV	KAX
	.562	.094	VC	2	03750562-094VC-R2	
	.563	.093	VB	2	03750563-093VB-C2	
	.686	.156	VBY	2	03750686-156VBY-C2	
	.700	.156	SC	2	03750700-156SC-R2	TCS
	.749	.250	SC	2	03750749-250SC-R2	
	.750	.170	VC	2	03750750-170VC-R2	
	.750	.250	SBY	2	03750750-250SBY-C2	
	.750	.250	SBY	V	03750750-250SBY-CV	SCS
	.750	.250	SC	2	03750750-250SC-R2	
	.750	.250	TB	2	03750750-250TB-G2	
	.750	.250	TBR	2	03750750-250TBR-G2	
	.875	.250	SAXX	2	03750875-250SAXX-C2	SBS
	.875	.250	SBY	V	03750875-250SBY-CV	
	.875	.250	SBY	2	03750875-250SBY-C2	
	.875	.250	SC	2	03750875-250SC-R2	
	.875	.312	SC	2	03750875-312SC-R2	DC
	.900	.150	SC	2	03750900-150SC-R2	
	.900	.250	SC	2	03750900-250SC-R2	
	1.000	.250	VC	2	03751000-250VC-R2	
	1.250	.312	SC	2	03751250-312SC-R2	DB
.376	.751	.186	WPC	4	03760751-186WPC-R4	
	.751	.187	WPC	4	03760751-187WPC-R4	
.390	.751	.140	VCX	2	03900751-140VCX-R2	
	.754	.140	VCX	2	03900754-140VCX-R2	
.394	.787	.197	TBHP	2	03940787-197TBHP-C2	TC3
	.787	.197	TBHP	PA	03940787-197TBHP-CPA	
	1.004	.197	SC	2	03941004-197SC-R2	
.406	.560	.188	VC	2	04060560-188VC-R2	
.430	1.000	.250	SC	2	04301000-250SC-R2	








Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (INCHES)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
SC							
		.435	.876	.250	SBY	2	04350876-250SBY-C2
TC		.437	.660	.240	VC	2	04370660-240VC-R2
			.689	.094	VC	2	04370689-094VC-R2
			.750	.420	XX	V	04370750-420XX-GV
			.875	.250	SC	2	04370875-250SC-R2
VC			.875	.250	SC	V	04370875-250SC-RV
			.999	.250	SB	2	04370999-250SB-G2
			.999	.250	SB	2	04370999-250SB-C2
			.999	.250	SB	S	04370999-250SB-GS
			.999	.250	SB	2	04370999-250SB-C2
			.999	.250	SBR	2	04370999-250SBR-G2
KC		.438	.655	.312	WPX	2	04380655-312WPX-G2
			.655	.312	WPX	4	04380655-312WPX-G4
			.875	.250	TC	2	04380875-250TC-R2
			.875	.250	TCG	2	04380875-250TCG-G2
			.875	.312	SB	2	04380875-312SB-G2
			.875	.312	SBR	2	04380875-312SBR-G2
SBY			.875	.312	SBR	2	04380875-312SBR-C2
			.875	.312	SBR	2	04380875-312SBR-C2
			.999	.375	SAX	2	04380999-375SAX-C2
		.464	.945	.276	SC	2	04640945-276SC-R2
TBY		.468	.875	.312	SBY	2	04680875-312SBY-C2
		.472	1.024	.210	TC	2	04721024-210TC-R2
			1.259	.189	TCX6	2	04721259-189TCX6-R2
			1.259	.252	TCX6	2	04721259-252TCX6-R2
VBY			1.260	.156	SC	2	04721260-156SC-R2
		.490	.868	.236	TBHP	2	04900868-236TBHP-C2
KBY			.868	.236	TBHP	PA	04900868-236TBHP-CPA
		.499	.749	.167	TBR	PA	04990749-167TBR-CPA
SAX		.500	.687	.125	VBX	2	05000687-125VBX-C2
			.687	.170	SBS	2	05000687-170SBS-C2
			.689	.094	VC	2	05000689-094VC-R2
			.749	.125	SBY	2	05000749-125SBY-C2
			.749	.170	TB	2	05000749-170TB-G2
			.750	.125	VB	2	05000750-125VB-C2
TAX			.750	.250	VBY	2	05000750-250VBY-C2
			.751	.192	VBR	2	05000751-192VBR-G2
			.801	.187	SBY	V	05000801-187SBY-CV
			.801	.187	SBY	2	05000801-187SBY-C2
			.806	.187	SBY	V	05000806-187SBY-CV
			.806	.187	SBY	2	05000806-187SBY-C2
			.875	.250	SC	2	05000875-250SC-R2
			.875	.312	SBY	PA	05000875-312SBY-CPA

50



Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
.500	.875	.312	SBY	2	05000875-312SBY-C2	
	.900	.250	SC	2	05000900-250SC-R2	
	.987	.250	SB	2	05000987-250SB-C2	
	.987	.250	SBR	2	05000987-250SBR-C2	
	.987	.250	SBY	2	05000987-250SBY-C2	
	.999	.250	SBY	V	05000999-250SBY-CV	
	.999	.250	SBY	2	05000999-250SBY-C2	
	.999	.375	SBY	2	05000999-375SBY-C2	
	1.000	.250	SB	2	05001000-250SB-C2	
	1.000	.250	SC	2	05001000-250SC-R2	
	1.000	.250	TBR	2	05001000-250TBR-C2	
	1.000	.312	SBY	2	05001000-312SBY-C2	
	1.124	.250	SBR	2	05001124-250SBR-G2	
	1.124	.250	SBR	PA	05001124-250SBR-GPA	
	1.124	.250	SBY	V	05001124-250SBY-CV	
	1.124	.250	SBY	PA	05001124-250SBY-CPA	
	1.124	.250	SBY	2	05001124-250SBY-C2	
	1.124	.250	SC	2	05001124-250SC-R2	
	1.124	.313	SBY	2	05001124-313SBY-C2	
	1.124	.313	SBY	PA	05001124-313SBY-CPA	
	1.124	.313	SBY	PA	05001124-313SBY-PPA	
	1.124	.375	SBY	2	05001124-375SBY-C2	
	1.125	.313	SBY	2	05001125-313SBY-C2	
1.250	.290	SC	2	05001250-290SC-R2		
1.375	.250	SC	2	05001375-250SC-R2		
1.375	.250	TC	2	05001375-250TC-R2		
.502	1.001	.250	WPC	V	05021001-250WPC-RV	
	1.001	.250	WPC	4	05021001-250WPC-R4	
.560	.755	.125	VB	2	05600755-125VB-C2	
.562	.750	.094	VB	2	05620750-094VB-C2	
	.875	.115	VB2Y	2	05620875-115VB2Y-C2	
	.999	.250	TC	2	05620999-250TC-R2	
	1.000	.250	TBY	2	05621000-250TBY-C2	
	1.000	.312	SB	2	05621000-312SB-C2	
	1.000	.312	VB	2	05621000-312VB-P2	
	1.125	.250	SBR	V	05621125-250SBR-GV	
	1.125	.250	SBR	2	05621125-250SBR-C2	
	1.125	.250	SBR	V	05621125-250SBR-CV	
	1.125	.250	SBR	2	05621125-250SBR-G2	
1.125	.250	SBR	V	05621125-250SBR-PV		
.563	.875	.188	TC	2	05630875-188TC-R2	
	1.000	.250	TCX	2	05631000-250TCX-R2	
	1.125	.250	TBY	2	05631125-250TBY-C2	
.575	.961	.190	VC	2	05750961-190VC-R2	











Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC							
TC		.575	1.270	.125	VC	2	05751270-125VC-R2
			1.270	.125	VCX	2	05751270-125VCX-R2
			1.570	.100	VC	2	05751570-100VC-R2
VC		.589	.994	.172	TC	2	05890994-172TC-R2
		.591	.945	.276	SC	2	05910945-276SC-R2
KC		.594	1.124	.250	VBY	2	05941124-250VBY-C2
		.595	1.375	.188	SBY	2	05951375-188SBY-G2
SBY		.600	1.100	.220	VB	2	06001100-220VB-G2
		.619	1.375	.250	TC	2	06191375-250TC-R2
TBY		.620	.930	.180	SC	2	06200930-180SC-R2
			1.120	.250	SB	2	06201120-250SB-G2
			1.120	.250	SC	2	06201120-250SC-R2
			1.120	.312	SC	2	06201120-312SC-R2
			1.180	.260	TAX	2	06201180-260TAX-G2
VBY		.621	.812	.234	WPCX	4	06210812-234WPCX-R4
		.623	1.093	.250	TCX	2	06231093-250TCX-R2
KBY			1.122	.250	DC	2	06231122-250DC-R2
		.624	.813	.225	SCS	2	06240813-225SCS-R2
		.625	.812	.093	SC	2	06250812-093SC-R2
			.812	.094	SC	2	06250812-094SC-R2
			.812	.094	VC	2	06250812-094VC-R2
SAX			.812	.098	TCS	2	06250812-098TCS-R2
			.812	.156	WPB	2	06250812-156WPB-C2
			.812	.197	TC	2	06250812-197TC-R2
			.834	.450	SC5	2	06250834-450SC5-R2
			.851	.250	TCS	2	06250851-250TCS-R2
			.852	.098	TCS	2	06250852-098TCS-R2
			.875	.125	TBX	2	06250875-125TBX-G2
TAX			.875	.125	VC	2	06250875-125VC-R2
			.875	.156	KC	2	06250875-156KC-R2
			.875	.230	KBR	S	06250875-230KBR-CS
			.875	.230	KBR	2	06250875-230KBR-C2
			.926	.109	VB	2	06250926-109VB-C2
TAX			.938	.188	VBY	4	06250938-188VBY-C4
			.938	.188	VBY	2	06250938-188VBY-C2
			.999	.250	SBY	2	06250999-250SBY-C2
		.625	.999	.250	SC	PA	06250999-250SC-RPA











Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
	.999	.250	SC	XN	06250999-250SC-RXN	
	.999	.250	SC	V	06250999-250SC-RV	
	.999	.250	SC	2	06250999-250SC-R2	
	.999	.250	TBR	2	06250999-250TBR-G2	
	.999	.250	TBR	V	06250999-250TBR-GV	
	.999	.250	TBY	V	06250999-250TBY-CV	
	.999	.250	TBY	2	06250999-250TBY-C2	
	.999	.250	VB	2	06250999-250VB-C2	
1.000	.250	.250	SC	2	06251000-250SC-R2	
1.000	.250	.250	TC	PA	06251000-250TC-RPA	
1.000	.250	.250	TC	2	06251000-250TC-R2	
1.001	.250	.250	WPC	V	06251001-250WPC-RV	
1.001	.250	.250	WPC	4	06251001-250WPC-R4	
1.124	.250	.250	SAX	2	06251124-250SAX-C2	
1.124	.250	.250	TBY	2	06251124-250TBY-C2	
1.124	.312	.312	SB	2	06251124-312SB-C2	
1.124	.375	.375	TBHP	2	06251124-375TBHP-C2	
1.125	.187	.187	VB	2	06251125-187VB-C2	
1.125	.188	.188	SBY	2	06251125-188SBY-G2	
1.125	.250	.250	SC	V	06251125-250SC-RV	
1.125	.250	.250	SC	2	06251125-250SC-R2	
1.125	.250	.250	TBY	2	06251125-250TBY-C2	
1.125	.250	.250	TC	2	06251125-250TC-R2	
1.125	.312	.312	SBY	2	06251125-312SBY-C2	
1.125	.370	.370	TC	3	06251125-370TC-R3	
1.125	.375	.375	TC	2	06251125-375TC-R2	
1.250	.250	.250	TC	2	06251250-250TC-R2	
1.250	.250	.250	WPB	4	06251250-250WPB-G4	
1.250	.250	.250	WPBX	4	06251250-250WPBX-C4	
1.312	.275	.275	SC	2	06251312-275SC-R2	
1.375	.250	.250	SBY	2	06251375-250SBY-C2	
1.375	.250	.250	SBY	2	06251375-250SBY-G2	
1.375	.250	.250	TBY	2	06251375-250TBY-C2	
1.375	.250	.250	TC	2	06251375-250TC-R2	
1.375	.312	.312	SB	2	06251375-312SB-G2	
1.375	.406	.406	TBY	2	06251375-406TBY-C2	
1.500	.250	.250	SC	2	06251500-250SC-R2	
1.500	.375	.375	SC	2	06251500-375SC-R2	
1.562	.375	.375	SB	2	06251562-375SB-G2	
1.850	.438	.438	SC	3	06251850-438SC-R3	
.650	1.500	.250	SC	2	06501500-250SC-R2	
.654	1.125	.312	SBY	2	06541125-313SBY-C2	
	1.125	.313	SBY	S	06541125-313SBY-CS	
.660	1.100	.220	VB	2	06601100-220VB-G2	
	1.182	.236	TBHP	PA	06691182-236TBHP-CPA	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
SC							
TC			1.182	.236	TBHP	2	06691182-236TBHP-C2
			1.187	.170	TC	2	06691187-170TC-R2
			1.260	.236	VC	2	06691260-236VC-R2
VC		.680	1.365	.162	KC	2	06801365-162KC-R2
		.687	1.125	.250	SBR	2	06871125-250SBR-G2
			1.125	.250	SC	2	06871125-250SC-R2
			1.125	.312	DC	2	06871125-312DC-R2
			1.250	.250	SC	2	06871250-250SC-R2
1.361	.160	KC	2	06871361-160KC-R2			
KC		.688	1.125	.250	VBY	2	06881125-250VBY-C2
			1.250	.245	TB	2	06881250-245TB-G2-CW
			1.250	.245	TBR	3	06881250-245TBR-G3-CW
			1.250	.250	VC	3	06881250-250VC-R3
			1.250	.375	TBY	2	06881250-375TBY-C2
SBY		.700	.937	.188	VB	2	07000937-188VB-C2
		.705	1.415	.150	VBX	2	07051415-150VBX-C2
TBY		.719	1.125	.188	SBY	2	07191125-188SBY-C2
		.730	1.263	.250	TCX4	2	07301263-250TCX4-R2
		.737	1.375	.343	TBY	2	07371375-343TBY-C2
VBY		.746	.999	.300	WPCX	4	07460999-300WPCX-R4
		.748	1.499	.275	TC4	2	07481499-275TC4-R2
			1.000	.125	VB	2	07501000-125VB-G2
KBY		1.000	.125	VB	2	07501000-125VB-C2	
		1.000	.125	WPB	4	07501000-125WPB-C4	
		1.000	.156	SB	2	07501000-156SB-C2	
		1.000	.250	VBX	2	07501000-250VBX-C2	
		1.003	.109	VB	2	07501063-109VB-C2	
		1.003	.125	KC	2	07501003-125KC-R2	
		1.124	.156	VBY	2	07501124-156VBY-C2	
		1.125	.188	SC	C	07501125-188SC-RC	
SAX		1.125	.188	SC	2	07501125-188SC-R2	
		1.125	.250	SC	2	07501125-250SC-R2	
		1.125	.250	TBR	2	07501125-250TBR-C2	
		1.125	.250	TC	2	07501125-250TC-R2	
		1.246	.250	TC	2	07501246-250TC-R2	
		1.250	.188	SB	2	07501250-188SB-G2	
		1.250	.188	SBY	2	07501250-188SBY-G2	
TAX		.750	1.250	.188	SBY	2	07501250-188SBY-C2











Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.250	.188	SC	C	C	07501250-188SC-RC	
1.250	.188	SC	2	2	07501250-188SC-R2	
1.250	.195	SBY	2	2	07501250-195SBY-G2	
1.250	.250	SAX	2	2	07501250-250SAX-C2	
1.250	.250	SB	2	2	07501250-250SB-G2	
1.250	.250	SBY	2	2	07501250-250SBY-C2	
1.250	.250	SC	2	2	07501250-250SC-R2	
1.250	.250	TBY	V	2	07501250-250TBY-CV	
1.250	.250	TBY	2	2	07501250-250TBY-C2	
1.250	.250	TC	2	2	07501250-250TC-R2	
1.250	.250	TCX	2	2	07501250-250TCX-R2	
1.250	.250	VC	3	2	07501250-250VC-R3	
1.250	.250	WPC	V	2	07501250-250WPC-RV	
1.250	.250	WPC	4	2	07501250-250WPC-R4	
1.250	.312	SC	2	2	07501250-312SC-R2	
1.250	.312	TBR	2	2	07501250-312TBR-G2	
1.250	.312	TBR	2	2	07501250-312TBR-C2	
1.250	.312	TBY	2	2	07501250-312TBY-C2	
1.250	.313	SBR	2	2	07501250-313SBR-C2	
1.250	.313	TBR	2	2	07501250-313TBR-G2	
1.250	.375	SC	2	2	07501250-375SC-R2	
1.252	.188	SBY	2	2	07501252-188SBY-C2	
1.254	.190	VB	2	2	07501254-190VB-C2	
1.254	.250	SC	2	2	07501254-250SC-R2	
1.312	.312	TBR	2	2	07501312-312TBR-G2-CW	
1.363	.247	TCX	2	2	07501363-247TCX-R2	
1.374	.349	DC	2	2	07501374-349DC-R2	
1.375	.250	SBY	2	2	07501375-250SBY-G2	
1.375	.250	SC	2	2	07501375-250SC-R2	
1.375	.250	TBY	2	2	07501375-250TBY-C2	
1.375	.496	SAX	2	2	07501375-406SAX-C2	
1.499	.250	TBY	2	2	07501499-250TBY-C2	
1.499	.513	WPBX	4	2	07501499-513WPBX-C4	
1.500	.250	SC	2	2	07501500-250SC-R2	
1.500	.250	SC	V	2	07501500-250SC-RV	
1.500	.250	TC	2	2	07501500-250TC-R2	
1.503	.780	TCAX	2	2	07501503-780TCAX-C2	
1.575	.250	SBY	2	2	07501575-250SBY-C2	
1.575	.312	TC	2	2	07501575-312TC-R2	
1.620	.312	SC	2	2	07501620-312SC-R2	
1.624	.250	TBY	2	2	07501624-250TBY-C2	
1.625	.250	SBT	V,T	2	07501625-250SBT-CVT	
1.625	.312	SC	2	2	07501625-312SC-R2	
1.750	.312	TBR	2	2	07501750-312TBR-C2	
1.783	.250	TC	2	2	07501783-250TC-R2	
1.828	.250	SBY	2	2	07501828-250SBY-P2	
2.047	.312	TBY	2	2	07502047-312TBY-C2	
2.500	.288	LBX	2	2	07502500-288LBX-C2	
.781	1.752	.312	TC	2	07811752-312TC-R2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC			1.375	.250	TBY	2	07851375-250TBY-C2
			1.375	.250	TBY	PA	07851375-250TBY-CPA
TC			.787	.188	SBY	2	07871124-188SBY-C2
			1.124	.188	VBY	2	07871124-188VBY-C2
			1.281	.180	SCS	2	07871281-180SCS-R2
			1.496	.315	SC	2	07871496-315SC-R2
VC			.807	.138	SC	2	08071063-138SC-R2
			1.063	.188	SC	2	08071063-188SC-R2
KC			.812	.170	SBY	2	08121235-170SBY-C2
			1.237	.170	SBY	2	08121237-170SBY-C2
			1.249	.188	SBYX	PA	08121249-188SBYX-CPA
			1.250	.254	TBR	2	08121250-254TBR-G2
			1.375	.375	SBY	2	08121375-375SBY-P2
			1.375	.406	SB	2	08121375-406SB-C2
			1.625	.188	KC	PA	08121625-188KC-RPA
SBY			.813	.312	TC	2	08131370-312TC-R2
			1.563	.250	TC	2	08131563-250TC-R2
TBY			.837	.560	SC	2	08370987-560SC-R2
			.846	.335	SCH	2	08461385-335SCH-R2
VBY			1.502	.315	SCH	2	08461502-315SCH-R2
			.850	.102	KC	V	08501035-102KC-RV
KBY			.853	.313	SCH	2	08531443-313SCH-R2
			.859	.075	VB	2	08590984-075VB-C2
			.865	.500	SCHH	2	08651545-500SCHH-R2
SAX			.866	.276	TC	2	08661260-276TC-R2
			.870	.250	SC	2	08701370-250SC-R2
TAX			1.870	.375	SC	2	08701870-375SC-R2
			.875	.150	VC	3	08751125-150VC-R3
			1.125	.150	VC	2	08751125-150VC-R2
			1.250	.188	SBY	2	08751250-188SBY-C2
			1.252	.187	SC	2	08751252-187SC-R2
			1.255	.182	VBR	2	08751255-182VBR-G2
			1.255	.182	VBR	PA	08751255-182VBR-GPA
.875	.188	KBR	PA	08751255-188KBR-GPA			
	1.260	.250	TBY	2	08751260-250TBY-C2		

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.









OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
	1.260	.275	SCH	2	08751260-275SCH-R2	
	1.375	.250	SB	2	08751375-250SB-G2	
	1.375	.250	SBY	2	08751375-250SBY-C2	
	1.375	.250	SC	2	08751375-250SC-R2	
	1.375	.250	TB	2	08751375-250TB-G2	
	1.375	.250	TBY	PA	08751375-250TBY-CPA	
	1.375	.250	TBY	2	08751375-250TBY-C2	
	1.375	.250	TC	2	08751375-250TC-R2	
	1.375	.255	SBY	2	08751375-255SBY-P2	
	1.375	.313	TBHP	2	08751375-313TBHP-C2	
	1.375	.375	SBY	2	08751375-375SBY-C2	
	1.375	.375	TC	2	08751375-375TC-R2	
	1.376	.312	SBR	2	08751376-312SBR-G2	
	1.376	.312	SBR	PA	08751376-312SBR-GPA	
	1.497	.780	TCAX	2	08751497-780TCAX-C2	
	1.499	.250	SBY	2	08751499-250SBY-C2	
	1.499	.250	SBY	2	08751499-250SBY-G2	
	1.499	.250	TBY	2	08751499-250TBY-C2	
	1.499	.312	SB	2	08751499-312SB-G2	
	1.500	.313	TBY	PA	08751500-313TBY-CPA	
	1.500	.313	TBY	2	08751500-313TBY-C2	
	1.575	.220	VC	2	08751575-220VC-R2	
	1.624	.250	SBY	2	08751624-250SBY-P2	
	1.625	.375	SC	2	08751625-375SC-R2	
	2.062	.437	SC	2	08752062-437SC-R2	
.900	1.500	.250	VC	2	09001500-250VC-R2	
	1.501	.250	VC	3	09001501-250VC-R3	
.906	1.171	.150	VC	2	09061171-150VC-R2	
	1.470	.354	SCH	2	09061470-354SCH-R2	
	1.500	.270	SC4	4	09061500-270SC4-R4	
.907	1.383	.250	SCX4	2	09071383-250SCX4-R2	
.908	1.500	.312	SCH	2	09081500-312SCH-R2	
.925	1.175	.150	VC	2	09251175-150VC-R2	
	1.441	.330	SCH	2	09251441-330SCH-R2	
	1.479	.335	SCH	2	09251479-335SCH-R2	
.930	1.700	.250	SCX	2	09301700-250SCX-R2	
	1.750	.375	SC	2	09301750-375SC-R2	
.937	1.340	.275	SCH	2	09371340-275SCH-R2	
	1.634	.415	SC	2	09371634-415SC-R2	
	1.750	.312	TBY	2	09371750-312TBY-C2	
.937	2.672	.125	SC	2	09372672-125SC-R2	
	2.676	.180	SCX	2	09372676-180SCX-R2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (INCHES)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC			2.676	.180	SCX	2	09372676-180SCX-R2
			2.676	.210	SCX	2	09372676-210SCX-R2
TC		.938	1.624	.250	SAX	2	09381624-250SAX-C2
			1.828	.250	SBY	2	09381828-250SBY-C2
			1.828	.375	SBY	2	09381828-375SBY-C2
VC		.941	1.418	.312	SCH	2	09411418-312SCH-R2
		.945	1.299	.276	SC	2	09451299-276SC-R2
KC			1.414	.270	SCH	2	09451414-270SCH-R2
			1.417	.256	TC	2	09451417-256TC-R2
			1.441	.330	SCH	2	09451441-330SCH-R2
			1.457	.276	SC	2	09451457-276SC-R2
			1.500	.335	SCH	2	09451500-335SCH-R2
			1.575	.276	SCH	2	09451575-276SCH-R2
			1.614	.330	SCH	2	09451614-330SCH-R2
SBY			1.658	.330	SCH	2	09451658-330SCH-R2
			1.698	.272	SCH	2	09451698-272SCH-R2
		.968	1.500	.312	SAX	2	09681500-312SAX-C2
			1.500	.312	SBY	2	09681500-312SBY-C2
			1.500	.375	SAX	2	09681500-375SAX-C2
			1.750	.312	TC	2	09681750-312TC-R2
TBY			1.752	.312	TC	2	09681752-312TC-R2
			2.676	.180	SCX	2	09682676-180SCX-R2
		.969	1.375	.265	SBY	2	09691375-265SBY-C2
			1.375	.265	SBY	V	09691375-265SBY-CV
VBY			1.406	.250	TBY	PA	09691406-250TBY-CPA
			1.406	.250	TBY	2	09691406-250TBY-C2
			1.828	.578	SAXX	2	09691828-578SAXX-C2
		.970	1.330	.765	SBX	2	09701330-765SBX-C2
			1.450	.625	SBX	2	09701450-625SBX-C2
KBY		.975	1.225	.200	VC	2	09751225-200VC-R2
			1.476	.250	SCH	2	09751476-250SCH-R2
			1.482	.250	SCH	2	09751482-250SCH-R2
			1.628	.295	SCH	2	09751628-295SCH-R2
			1.740	.335	SCH	2	09751740-335SCH-R2
SAX		.977	1.240	.250	SCH	2	09771240-250SCH-R2
		.980	1.520	.330	SCH	2	09801520-330SCH-R2
			1.686	.255	SBY	2	09801686-255SBY-C2
TAX			1.686	.255	SBY	V	09801686-255SBY-CV
		.984	1.259	.185	SBS	PA	09841259-185SBS-CPA











Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER							
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX	
	1.378	.236	SC	V	09841378-236SC-RV		
	1.378	.236	SC	2	09841378-236SC-R2		
	1.383	.312	SCH	2	09841383-312SCH-R2		
	1.476	.275	SCH	2	09841476-275SCH-R2		
	1.483	.295	SCHX	4	09841483-295SCHX-R4		
	1.499	.250	TBY	2	09841499-250TBY-C2		
	1.520	.335	SCH	2	09841520-335SCH-R2		
	1.548	.500	SCHH	2	09841548-500SCHH-R2		
	1.575	.437	SBY	2	09841575-437SBY-C2		
	1.693	.354	SCH	2	09841693-354SCH-R2		
	1.750	.500	TCAX	2	09841750-500TCAX-C2		
	3.060	.280	VB5X	2	09843060-280VB5X-C2		
	3.125	.530	TB6X	2	09843125-530TB6X-C2		
.985	1.568	.313	SCH	2	09851568-313SCH-R2		
.996	1.525	.250	VBYX	2	09961525-250VBYX-C2		
.998	1.247	.125	VCX	2	09981247-125VCX-R2		
.999	1.750	.282	TCX	2	09991750-282TCX-R2		
1.000	1.128	.240	VB	2	10001128-240VB-C2		
	1.250	.125	VB	2	10001250-125VB-C2		
	1.250	.125	VBR	2	10001250-125VBR-C2		
	1.250	.125	VBY	2	10001250-125VBY-C2		
	1.250	.125	VC	2	10001250-125VC-R2		
	1.250	.125	WPB	4	10001250-125WPB-C4		
	1.313	.109	VB	2	10001313-109VB-C2		
	1.313	.156	TC	2	10001313-156TC-R2		
	1.313	.188	TC	2	10001313-188TC-R2		
	1.375	.188	SC	2	10001375-188SC-R2		
	1.375	.188	VBR	2	10001375-188VBR-G2		
	1.375	.188	VBR	PA	10001375-188VBR-GPA		
	1.375	.188	VBY	2	10001375-188VBY-C2		
	1.375	.188	WPC	4	10001375-188WPC-R4		
	1.375	.210	VC	2	10001375-210VC-R2		
	1.384	.360	SCX	2	10001384-360SCX-R2		
	1.437	.125	KC	2	10001437-125KC-R2		
	1.437	.250	SC	2	10001437-250SC-R2		
	1.437	.312	TBY	2	10001437-312TBY-C2		
	1.499	.250	SBHP	4	10001499-250SBHP-C4		
	1.499	.250	SBY	2	10001499-250SBY-G2		
	1.499	.250	SBY	2	10001499-250SBY-C2		
	1.499	.250	TBHP	4	10001499-250TBHP-C4		
	1.499	.250	TBY	PA	10001499-250TBY-CPA		
	1.499	.250	TBY	V	10001499-250TBY-CV		
	1.499	.250	TBY	2	10001499-250TBY-C2		
							

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
SC							
TC		1.000	1.499	.250	TC	2	10001499-250TC-R2
			1.499	.250	TC	V	10001499-250TC-RV
			1.499	.256	TCAX	2	10001499-256TCAX-C2
			1.499	.312	TBY	2	10001499-312TBY-C2
			1.499	.375	TC	2	10001499-375TC-R2
VC		1.500	.036	VBYX	2	10001500-036VBYX-C2	
		1.500	.250	SB	2	10001500-250SB-G2	
		1.500	.250	SBHP	2	10001500-250SBHP-G2	
		1.500	.250	SC	2	10001500-250SC-R2	
		1.500	.250	TBY	2	10001500-250TBY-C2	
KC		1.500	.250	TBY	PA	10001500-250TBY-CPA	
		1.500	.312	TC	2	10001500-312TC-R2	
		1.500	.375	SC	2	10001500-375SC-R2	
		1.500	.390	TAX	2	10001500-390TAX-G2	
		1.500	.390	TAX	2	10001500-390TAX-C2	
SBY		1.500	.430	TCAX	2	10001500-430TCAX-C2	
		1.500	.500	TCAX	2	10001500-500TCAX-C2	
		1.501	.250	TBY	2	10001501-250TBY-C2	
		1.501	.250	VC	2	10001501-250VC-R2	
		1.501	.250	VC	3	10001501-250VC-R3	
TBY		1.503	.780	TCAX	2	10001503-780TCAX-C2	
		1.540	.340	SCH	2	10001540-340SCH-R2	
		1.561	.250	SB	2	10001561-250SB-C2	
		1.561	.250	TBY	2	10001561-250TBY-C2	
		1.562	.375	SB	PA	10001562-375SB-CPA	
VBY		1.620	.312	SC	2	10001620-312SC-R2	
		1.624	.250	SBY	2	10001624-250SBY-C2	
		1.624	.250	SBY	V	10001624-250SBY-CV	
		1.624	.250	TB	2	10001624-250TB-C2	
		1.624	.250	TBY	2	10001624-250TBY-C2	
KBY		1.625	.188	KC	PA	10001625-188KC-RPA	
		1.625	.250	TBY	2	10001625-250TBY-C2	
		1.625	.312	SBY	2	10001625-312SBY-P2	
		1.625	.375	SC	2	10001625-375SC-R2	
		1.625	.375	SBT	2T	10001625-375SBT-C2T	
SAX		1.750	.250	SC	2	10001750-250SC-R2	
		1.750	.375	SC	2	10001750-375SC-R2	
		1.750	.500	TCAX	2	10001750-500TCAX-C2	
		1.752	.250	SB	2	10001752-250SB-C2	
		1.781	.469	VB2Y	2	10001781-469VB2Y-P2	
TAX		1.828	.375	SBY	2	10001828-375SBY-C2	
		1.875	.250	SC	2	10001875-250SC-R2	
		1.875	.312	SC	2	10001875-312SC-R2	
		1.875	.437	SC	2	10001875-437SC-R2	
		1.875	.715	DBX	2	10001875-715DBX-C2	
TAX		1.980	.250	TC	2	10001980-250TC-R2	
		1.981	.375	TC	2	10001981-375TC-R2	
		1.983	.250	TBY	2	10001983-250TBY-C2	
		1.983	.313	TBY	2	10001983-313TBY-C2	







Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.000	2.000	.250	TBY	2	10002000-250TBY-C2	
	2.000	.250	VC	3	10002000-250VC-R3	
	2.000	.375	SC	2	10002000-375SC-R2	
	2.002	.500	TC	2	10002002-500TC-R2	
	2.441	.375	TC	2	10002441-375TC-R2	
	2.441	.477	SC	2	10002441-477SC-R2	
1.024	1.378	.276	SC	2	10241378-276SC-R2	
	1.457	.276	SC	2	10241457-276SC-R2	
	1.457	.276	TC	2	10241457-276TC-R2	
	1.500	.335	SCH	2	10241500-335SCH-R2	
	1.614	.330	SCH	2	10241614-330SCH-R2	
	1.736	.335	SCH	2	10241736-335SCH-R2	
1.025	1.657	.250	SC4	2	10251657-250SC4-R2	
1.032	1.460	.375	VBY	2	10321460-375VBY-C2	KAX
1.040	1.437	.250	SC	2	10401437-250SC-R2	
1.049	2.500	.375	TB6X	2	10492500-375TB6X-C2	
1.054	1.179	.075	VB	2	10541179-075VB-C2	TCS
1.060	1.687	.312	TC	2	10601687-312TC-R2	
	1.750	.375	SC	2	10601750-375SC-R2	
1.062	1.260	.125	VC	3	10621260-125VC-R3	
	1.325	.156	VC	2	10621325-156VC-R2	
	1.375	.250	TCHP	2	10621375-250TCHP-R2	
	1.375	.250	TCHP	4	10621375-250TCHP-R4	
	1.499	.188	WPB	4	10621499-188WPB-G4	
	1.501	.250	VC	3	10621501-250VC-R3	
	1.561	.125	VC	3	10621561-125VC-R3	
	1.625	.312	SBR	4	10621625-312SBR-C4	
	1.625	.313	SCH	2	10621625-313SCH-R2	
	1.686	.312	TBR	2	10621686-312TBR-C2	
	1.686	.312	TCHP	2	10621686-312TCHP-R2	
	1.874	.250	VC	2	10621874-250VC-R2	
	2.000	.437	SBR	2	10622000-437SBR-C2	
1.063	1.499	.250	SBY	2	10631499-250SBY-C2	
	1.499	.250	TC	2	10631499-250TC-R2	
	1.624	.312	SBR	2	10631624-312SBR-C2	
1.090	1.654	.335	SCH	2	10901654-335SCH-R2	DC
1.105	1.624	.250	TBY	2	11051624-250TBY-C2	
	1.624	.250	TBY	V	11051624-250TBY-CV	
						DB
						
						TC3

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC		1.120	1.870	.375	SC	2	11201870-375SC-R2
			2.000	.375	SC	2	11202000-375SC-R2
TC		1.122	1.828	.250	VBY	2	11221828-250VBY-C2
			1.124	1.779	.405	TC	2
VC		1.125	1.375	.109	VB	2	11251375-109VB-C2
			1.375	.125	VB	2	11251375-125VB-G2
			1.375	.125	VC	2	11251375-125VC-R2
			1.375	.125	WPB	4	11251375-125WPB-C4
			1.375	.125	WPC	4	11251375-125WPC-R4
KC		1.432	1.09	VB	2	11251432-109VB-C2	
			1.499	.188	SBY	2	11251499-188SBY-C2
			1.499	.188	VBY	2	11251499-188VBY-C2
			1.499	.250	TBY	2	11251499-250TBY-C2
			1.500	.188	WPB	4	11251500-188WPB-G4
			1.500	.250	SC	2	11251500-250SC-R2
			1.500	.250	WPC	4	11251500-250WPC-R4
			1.562	.375	SC	2	11251562-375SC-R2
SBY		1.624	.250	SBY	2	11251624-250SBY-C2	
			.250	SC4	2	11251624-250SC4-R2	
			.250	TBY	2	11251624-250TBY-C2	
			.250	TBY	PA	11251624-250TBY-CPA	
			.250	TBY	V	11251624-250TBY-CV	
			.250	VC	2	11251624-250VC-R2	
			.250	WPB	4	11251624-250WPB-C4	
			.275	TCAX	2	11251624-275TCAX-C2	
			1.625	.135	VCX	2	11251625-135VCX-R2
			1.625	.235	TC	PA	11251625-235TC-RPA/CW
VBY		1.750	.250	TBY	PA	11251750-250TBY-CPA	
			.250	TBY	2	11251750-250TBY-C2	
			.312	SC	2	11251750-312SC-R2	
			.375	SB	2	11251750-375SB-G2	
			.250	TC	2	11251752-250TC-R2	
			.325	VBY	2	11251775-325VBY-C2	
KBY		1.775	.500	TC	2	11251775-500TC-R2	
			.406	TC	2	11251778-406TC-R2	
			1.781	.330	VCAX	2	11251781-330VCAX-C2
			1.781	.406	TC	2	11251781-406TC-R2
			2.000	.500	SC	2	11252000-500SC-R2
			2.047	.312	TBY	2	11252047-312TBY-C2
			2.062	.437	SBY	2	11252062-437SBY-C2
SAX		2.062	.437	SBY	E	11252062-437SBY-CE	
			2.441	.312	TBY	2	11252441-312TBY-C2
			2.843	.375	SC	2	11252843-375SC-R2
			1.156	1.575	.312	TBR	2
TAX		1.688	.312	TC	2	11561688-312TC-R2	










Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.156	1.874	.250	SAX	2	11561874-250SAX-C2	
	1.875	.250	SBY	2	11561875-250SBY-G2	
	2.062	.375	TBY	2	11562062-375TBY-C2	
	2.441	.375	TC	2	11562441-375TC-R2	
1.160	1.562	.250	VB	2	11601562-250VB-G2	
	1.562	.250	VC	2	11601562-250VC-R2	
1.175	1.828	.375	SAX	PA	11751828-375SAX-GPA	VAX
	1.828	.375	SAX	2	11751828-375SAX-G2	
1.180	1.687	.375	SC	2	11801687-375SC-R2	
	1.750	.250	SC	2	11801750-250SC-R2	
	1.870	.312	SC	2	11801870-312SC-R2	
1.181	1.575	.276	SC	2	11811575-276SC-R2	KAX
	1.686	.256	SC	2	11811686-256SC-R2	
1.187	1.686	.313	TB	2	11871686-313TB-C2	
	1.687	.250	SBAXX	2	11871687-250SBAXX-C2	
	1.687	.312	TBR	2	11871687-312TBR-C2	
	1.687	.312	TC	2	11871687-312TC-R2	
	1.750	.250	SC	2	11871750-250SC-R2	
	1.750	.355	SAXX	2	11871750-355SAXX-C2	
	1.750	.437	DCX	2	11871750-437DCX-R2	
	1.874	.250	VC	3	11871874-250VC-R3	
	1.881	.250	VC	3	11871881-250VC-R3	
	2.437	.468	SAX	2	11872437-468SAX-C2	
	2.441	.375	TB	2	11872441-375TB-G2	
	1.188	1.627	.250	WPB	4	
1.627		.250	WPC	4	11881627-250WPC-R4	
1.686		.250	SBY	2	11881686-250SBY-C2	
1.686		.250	SBY	PA	11881686-250SBY-CPA	
1.686		.375	SB	2	11881686-375SB-G2	
1.698		.250	SC4	2	11881698-250SC4-R2	
1.812		.312	SC	2	11881812-312SC-R2	
2.000		.250	SBY	2	11882000-250SBY-C2	
1.190		1.780	.150	VBX	2	11901780-150VBX-C2
1.244	2.058	.251	SBY	2	12442058-250SBY-C2	
1.248	1.378	.250	VB	2	12481378-250VB-C2	
1.250	1.500	.125	VBY	2	12501500-125VBY-C2	
	1.500	.125	VC	2	12501500-125VC-R2	
	1.500	.125	WPB	4	12501500-125WPB-G4	
	1.563	.109	VB	2	12501563-109VB-C2	
						TC3










Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
SC							
TC		1.250	1.624	.187	SB	2	12501624-187SB-G2
			1.625	.187	SB	2	12501625-187SB-G2
			1.625	.188	VBY	2	12501625-188VBY-C2
			1.686	.188	WPB	4	12501686-188WPB-G4
			1.687	.150	KC	2	12501687-150KC-R2
VC			1.687	.250	TBR	2	12501687-250TBR-G2
			1.687	.250	TC	2	12501687-250TC-R2
			1.687	.312	TB	2	12501687-312TB-C2
			1.687	.313	TBY	2	12501687-313TBY-C2
			1.687	.391	TBY	2	12501687-391TBY-C2
			1.750	.250	SC	2	12501750-250SC-R2
			1.750	.250	VBY	2	12501750-250VBY-C2
KC			1.752	.250	SBHP	PA	12501752-250SBHP-CPA
			1.752	.250	SBHP	2	12501752-250SBHP-C2
			1.752	.250	SBY	V	12501752-250SBY-CV
			1.752	.250	SBY	2	12501752-250SBY-C2
			1.752	.250	TBHP	2	12501752-250TBHP-C2
SBY			1.752	.250	TBHP	PA	12501752-250TBHP-CPA
			1.752	.250	TBY	2	12501752-250TBY-P2
			1.752	.250	VB	2	12501752-250VB-G2
			1.752	.250	VBY	2	12501752-250VBY-G2
			1.752	.250	WPB	4	12501752-250WPB-C4
TBY			1.752	.312	TB	2	12501752-312TB-C2
			1.874	.250	SBHP	2	12501874-250SBHP-C2
			1.874	.250	SBHP	PA	12501874-250SBHP-CPA
			1.874	.250	SBY	2	12501874-250SBY-C2
			1.874	.250	TBHP	PA	12501874-250TBHP-CPA
VBY			1.874	.250	TBHP	2	12501874-250TBHP-C2
			1.874	.250	TBY	2	12501874-250TBY-C2
			1.874	.256	TBY	V	12501874-256TBY-CV
			1.874	.256	TBY	2	12501874-256TBY-C2
			1.875	.250	SBY	2	12501875-250SBY-C2
KBY			1.875	.250	VC	2	12501875-250VC-R2
			1.930	.430	SC	2	12501930-430SC-R2
			1.979	.250	TBY	2	12501979-250TBY-C2
			1.979	.375	TBY	2	12501979-375TBY-C2
			1.979	.403	VB2Y	2	12501979-403VB2Y-G2
SAX			1.980	.375	KBX	2	12501980-375KBX-C2
			1.983	.250	TBY	2	12501983-250TBY-C2
			2.000	.125	VBY	2	12502000-125VBY-C2
			2.000	.250	SBY	2	12502000-250SBY-C2
			2.000	.250	SC	2	12502000-250SC-R2
TAX			2.000	.250	TBY	2	12502000-250TBY-C2
			2.000	.312	SC	2	12502000-312SC-R2
			2.000	.313	TBY	2	12502000-313TBY-C2
			2.000	.375	SB	2	12502000-375SB-G2
			2.000	.375	SBY	2	12502000-375SBY-C2
	2.000	.375	SC	2	12502000-375SC-R2		
	2.000	.430	TCAX	2	12502000-430TCAX-C2		








Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.250	2.000	.430	TCAXX	2	12502000-430TCAXX-C2	
	2.000	.437	SAX	2	12502000-437SAX-C2	
	2.000	.437	SAX	2	12502000-437SAX-G2	
	2.000	.437	TAX	2	12502000-437TAX-C2	
	2.000	.437	TAXX	3	12502000-437TAXX-C3	
	2.000	.437	TBY	2	12502000-437TBY-C2	
	2.000	.500	TCAX	2	12502000-500TCAX-C2	
	2.000	.500	TCAXX	2	12502000-500TCAXX-C2	
	2.062	.250	TBY	2	12502062-250TBY-C2	
	2.062	.375	SBY	2	12502062-375SBY-C2	
	2.125	.250	TBY	2	12502125-250TBY-G2	
	2.125	.250	TBY	V	12502125-250TBY-CV	
	2.125	.375	SBY	2	12502125-375SBY-C2	
	2.125	.375	SC	2	12502125-375SC-R2	
	2.240	.250	TC	2	12502240-250TC-R2	
	2.242	.250	TC	2	12502242-250TC-R2	
	2.250	.250	SBY	2	12502250-250SBY-C2	
	2.250	.500	TC3	2	12502250-500TC3-R2	
	2.281	.250	VBHR	2	12502281-250VBHR-C2	
	2.375	.313	TBY	2	12502375-313TBY-C2	
2.375	.375	SC	2	12502375-375SC-R2		
2.441	.250	SAXX	2	12502441-250SAXX-C2		
2.441	.375	TC	2	12502441-375TC-R2		
3.150	.375	TBY	2	12503150-375TBY-C2		
1.288	2.000	.312	TC	2	12882000-312TC-R2	
1.290	2.000	.312	TBR	2	12902000-312TBR-C2	
1.309	1.828	.375	SAX	2	13091828-375SAX-G2	
	1.828	.375	SAX	PA	13091828-375SAX-GPA	
	1.828	.375	SB	2	13091828-375SB-G2	
	1.828	.375	SBY	2	13091828-375SBY-C2	
1.310	2.000	.375	SC	2	13102000-375SC-R2	
	2.500	.370	SC	2	13102500-370SC-R2	
1.312	2.000	.312	TBR	2	13122000-312TBR-C2	
1.313	1.828	.375	SBR	2	13131828-375SBR-C2	
	1.828	.375	SBR	PA	13131828-375SBR-CPA	
	1.847	.250	SC	2	13131847-250SC-R2	
	2.000	.313	TBY	2	13132000-313TBY-C2	
	2.125	.375	SC	2	13132125-375SC-R2	
2.250	.375	SC	2	13132250-375SC-R2		
1.329	1.927	.215	XXX	2	13291927-215XXX-R2	
1.363	2.240	.250	SC	PA	13632240-250SC-RPA	











Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC		1.363	2.240	.250	SC	2	13632240-250SC-R2
			2.240	.250	VC	2	13632240-250VC-R2
TC		1.370	2.000	.375	SC	2	13702000-375SC-R2
			2.120	.312	SC	2	13702120-312SC-R2
VC		1.373	2.240	.250	SC	V	13732240-250SC-RV
		1.375	1.683	.109	VB	2	13751683-109VB-C2
			1.750	.188	VBY	2	13751750-188VBY-C2
			1.834	.188	WPB	4	13751834-188WPB-C4
KC			1.872	.313	SBY	PA	13751872-313SBY-CPA
			1.874	.250	WPB	4	13751874-250WPB-G4
			1.875	.312	SC	2	13751875-312SC-R2
			1.875	.312	SC	PA	13751875-312SC-RPA
			1.999	.312	SBY	2	13751999-312SBY-C2
			2.000	.312	SC	2	13752000-312SC-R2
			2.000	.312	TBY	2	13752000-312TBY-G2
SBY			2.000	.312	TBY	2	13752000-312TBY-C2
			2.000	.312	TBR	V	13752000-312TBR-CV
			2.000	.375	WPB	4	13752000-375WPB-G4
			2.000	.375	WPBX	4	13752000-375WPBX-C4
			2.000	.437	TC	2	13752000-437TC-R2
			2.047	.312	TBY	2	13752047-312TBY-C2
			2.047	.312	TC	2	13752047-312TC-R2-CW
			2.093	.312	TC	2	13752093-312TC-R2-CCW
			2.125	.312	TBR	2	13752125-312TBR-C2
			2.125	.312	TC	2	13752125-312TC-R2
VBY			2.125	.313	SAX	2	13752125-313SAX-C2
			2.125	.313	SB	2	13752125-313SB-C2
			2.125	.313	TBY	2	13752125-313TBY-C2
			2.125	.375	SBY	2	13752125-375SBY-C2
			2.125	.437	TC	2	13752125-437TC-R2
			2.125	.438	SBY	2	13752125-438SBY-C2
KBY			2.250	.375	SB	2	13752250-375SB-G2
			2.250	.375	SBHP	2	13752250-375SBHP-C2
			2.250	.375	SBHP	PA	13752250-375SBHP-CPA
			2.250	.375	SC	2	13752250-375SC-R2
			2.250	.375	TBHP	PA	13752250-375TBHP-CPA
			2.250	.375	TBHP	2	13752250-375TBHP-C2
SAX			2.375	.313	TBY	2	13752375-313TBY-C2
			2.500	.375	SC	2	13752500-375SC-R2
			2.561	.375	TBY	2	13752561-375TBY-C2
			2.750	.500	SC	2	13752750-500SC-R2
			3.156	.375	SC	2	13753156-375SC-R2
TAX		1.378	1.752	.188	VC	2	13781752-188VC-R2
			1.752	.189	VC	2	13781752-189VC-R2
			1.950	.276	TC	2	13781950-276TC-R2








Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.378	1.976	.275	SC	S	13781976-275SC-RS/CW	
	2.677	.236	TC	2	13782677-236TC-R2	
1.399	2.292	.460	TBY	2	13992292-460TBY-C2	KCAX
1.414	2.000	.312	TBR	2	14142000-312TBR-C2	
1.430	2.060	.312	TC	2	14302060-312TC-R2	
1.433	1.561	.125	VBY	2	14331561-125VBY-C2	VAX
1.437	2.000	.312	TC	2	14372000-312TC-R2	
	2.000	.375	SC	2	14372000-375SC-R2	
	2.062	.250	TBY	2	14372062-250TBY-C2	
	2.066	.312	TC	2	14372066-312TC-R2	
	2.250	.437	TB	2	14372250-437TB-G2	
1.438	2.125	.312	TBY	2	14382125-312TBY-G2	
	2.313	.375	TBY	2	14382313-375TBY-C2	
1.468	2.437	.375	SBY	2	14682437-375SBY-C2	TCS
	2.437	.375	TBY	2	14682437-375TBY-C2	
	2.437	.468	SAX	2	14682437-468SAX-C2	
1.491	2.192	.250	TBY	2	14912192-250TBY-C2	
1.492	2.064	.250	SC	2	14922064-250SC-R2	SCS
1.493	2.058	.370	TBYX	2	14932058-370TBYX-C2	
1.496	2.283	.433	TBY	2	14962283-433TBY-G2	
1.500	1.813	.109	VB	2	15001813-109VB-C2	SBS
	1.874	.188	SBY	2	15001874-188SBY-C2	
	1.874	.250	SBY	2	15001874-250SBY-C2	
	1.874	.250	WPB	4	15001874-250WPB-C4	
	1.875	.188	VB	2	15001875-188VB-G2	
	1.875	.188	VBY	2	15001875-188VBY-C2	
	1.875	.188	WPB	4	15001875-188WPB-C4	
	1.875	.250	TBHP	2	15001875-250TBHP-C2	
	1.875	.250	VBY	2	15001875-250VBY-C2	
	1.983	.188	VBY	2	15001983-188VBY-C2	
	1.990	.312	SB	2	15001990-312SB-C2	
	2.000	.250	KC	2	15002000-250KC-R2	
	2.000	.250	SBY	2	15002000-250SBY-C2	
	2.000	.250	SC	2	15002000-250SC-R2	
	2.000	.250	WPB	4	15002000-250WPB-G4	
2.000	.312	WPX	2	15002000-312WPX-C2		
2.000	.313	TBY	2	15002000-313TBY-C2		
						TC3

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.











OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER							
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	
 SC							
 TC	1.500	2.047	.300	DC	PA	15002047-300DC-RPA	
		2.060	.250	SBY	2	15002060-250SBY-C2	
		2.060	.312	SC	2	15002060-312SC-R2	
		2.062	.250	SC	2	15002062-250SC-R2	
		2.062	.250	VC	2	15002062-250VC-R2	
 VC	2.062	2.062	.250	SB	2	15002062-250SB-C2	
		2.062	.250	SBY	2	15002062-250SBY-C2	
		2.062	.251	SC	2	15002062-251SC-R2	
		2.062	.251	VC	2	15002062-251VC-R2	
		2.062	.437	TBY	2	15002062-437TBY-C2	
 KC	2.064	2.064	.250	SBY	2	15002064-250SBY-C2	
		2.125	.313	SBY	2	15002125-313SBY-C2	
		2.250	.250	VB	2	15002250-250VB-G2	
		2.250	.250	VBY	2	15002250-250VBY-G2	
		2.250	.312	SC	2	15002250-312SC-R2	
 SBY	2.250	2.250	.312	TB	2	15002250-312TB-C2	
		2.250	.312	TC	2	15002250-312TC-R2	
		2.250	.375	SC	2	15002250-375SC-R2	
		2.250	.460	TCAX	2	15002250-460TCAX-C2	
		2.252	.250	VC	2	15002252-250VC-R2	
 TBY	2.254	2.254	.250	VB2Y	2	15002254-250VB2Y-C2	
		2.375	.250	KC	2	15002375-250KC-R2	
		2.375	.375	SC	2	15002375-375SC-R2	
		2.375	.500	SC	2	15002375-500SC-R2	
		2.430	.375	SC	2	15002430-375SC-R2	
 VBY	2.500	2.500	.250	SC	2	15002500-250SC-R2	
		2.500	.370	SC	2	15002500-370SC-R2	
		2.500	.500	SC	2	15002500-500SC-R2	
		2.560	.500	SC	2	15002560-500SC-R2	
		2.750	.375	SC	2	15002750-375SC-R2	
 KBY	2.874	2.874	.468	SBY	2	15002874-468SBY-C2	
		2.914	.425	TBY	2	15002914-425TBY-C2/CW	
		1.532	2.061	.250	SC	2	15322061-250SC-R2
		1.562	2.062	.250	VC	2	15622062-250VC-R2
			2.125	.375	TBY	2	15622125-375TBY-C2
2.125	.437		TC	2	15622125-437TC-R2		
 SAX	2.375	2.375	.375	SC	2	15622375-375SC-R2	
		2.502	.312	TBY	2	15622502-312TBY-G2	
		2.502	.500	SAX	2	15622502-500SAX-C2	
		2.561	.500	TB	2	15622561-500TB-G2	
		2.686	.380	TBY	2	15622686-380TBY-C2	
 TAX	2.687	2.687	.375	SC	2	15622687-375SC-R2	
		2.695	.375	SC	2	15622695-375SC-R2	
		1.563	2.125	.313	TB	2	15632125-313TB-C2
			2.750	.375	TB	2	15632750-375TB-C2
			4.331	.313	TBY	V	15634331-313TBY-CV
	4.331	.313	TBY	2	15634331-313TBY-C2		

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.607	1.734	.125	VBY	2	16071734-125VBY-C2	
1.620	2.000	.230	SB	2	16202000-230SB-C2	
	2.620	.375	SC	2	16202620-375SC-R2	KCAX
1.623	2.502	.312	TBY	2	16232502-312TBY-G2	
1.624	2.058	.280	TBYX	2	16242058-280TBYX-C2	
	2.058	.310	TBYX	HN	16242058-310TBYX-CHN	VAX
1.625	1.750	.125	VB	2	16251750-125VB-C2	
	1.750	.125	VBR	2	16251750-125VBR-C2	
	1.750	.125	VC	2	16251750-125VC-R2	
	1.932	.109	VB	2	16251932-190VB-C2	
	2.000	.187	VBY	2	16252000-187VBY-C2	
	2.000	.187	VC	2	16252000-187VC-R2	
	2.000	.250	SBY	2	16252000-250SBY-C2	
	2.000	.250	VC	2	16252000-250VC-R2	
	2.000	.266	SB	2	16252000-266SB-C2	
	2.000	.266	SBY	2	16252000-266SBY-C2	
	2.125	.250	SBY	PA	16252125-250SBY-CPA	
	2.125	.250	SBY	2	16252125-250SBY-C2	
	2.125	.250	SBY	V	16252125-250SBY-CV	
	2.125	.250	VBY	2	16252125-250VBY-C2	
	2.250	.312	TBY	3	16252250-312TBY-C3	
	2.374	.374	TBR	V	16252374-374TBR-CV	
	2.374	.374	TBR	2	16252374-374TBR-C2	
	2.374	.437	SAX	2	16252374-437SAX-C2	
	2.375	.375	SC	2	16252375-375SC-R2	
	2.437	.468	TAX	2	16252437-468TAX-G2	
2.441	.468	TAX	2	16252441-468TAX-G2		
2.502	.250	TBY	V	16252502-250TBY-CV		
2.502	.250	TBY	2	16252502-250TBY-C2		
2.502	.312	TBY	V	16252502-312TBY-CV		
2.502	.312	TBY	2	16252502-312TBY-G2		
2.502	.312	TBY	PA	16252502-312TBY-CPA		
2.502	.312	TBY	2	16252502-312TBY-C2		
2.750	.250	TBY	2	16252750-250TBY-C2		
1.687	2.500	.375	SC	2	16872500-375SC-R2	
1.688	2.328	.500	VBY	2	16882328-500VBY-C2	
	2.502	.375	TC	2	16882502-375SC-R2	
	2.605	.250	VBY	2	16882605-250VBY-C2	
	2.835	.468	TBY	2	16882835-468TBY-C2	
1.694	2.562	.515	TBY	2	16942562-515TBY-C2	
1.709	2.209	.292	TB5	2	17092209-292TB5-C2	
						DC
						DB
						TC3












Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (INCHES)











 SC		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
 TC	1.719	2.561	.500	TB5	2	17192561-500TBY-C2	
	1.720	2.561	.500	KBY	2	17202561-500KBY-C2	
 VC	1.745	2.248	.375	SCX	2	17452248-375SCX-R2	
	1.750	1.880	.125	VBY	2	17501880-125VBY-C2	
		2.125	.188	VBY	2	17502125-188VBY-C2	
		2.125	.188	WPB	4	17502125-188WPB-G4	
		2.250	.250	WPB	4	17502250-250WPB-G4	
 KC		2.250	.281	WPX	2	17502250-281WPX-C2	
		2.250	.312	SC	2	17502250-312SC-R2	
		2.250	.500	SC	2	17502250-500SC-R2	
		2.374	.375	SBY	2	17502374-375SBY-C2	
		2.374	.438	SC	2	17502374-438SC-R2	
		2.374	.500	TBY	2	17502374-500TBY-C2	
		2.375	.312	SC	2	17502375-312SC-R2	
		2.375	.375	TC	2	17502375-375TC-R2	
		2.411	.380	TBY	2	17502411-380TBY-C2	
		2.413	.375	TBY	S	17502413-375TBY-PS/CW	
 SBY		2.437	.312	TBY	2	17502437-312TBY-C2	
		2.437	.375	VBX	4	17502437-375VBX-C4	
		2.438	.313	SBY	2	17502438-313SBY-C2	
		2.438	.313	TBY	2	17502438-313TBY-C2	
		2.438	.375	SBY	2	17502438-375SBY-G2	
 TBY		2.441	.313	TBY	2	17502441-313TBY-P2	
		2.500	.250	TAX	2	17502500-250TAX-G2	
		2.500	.310	SC	2	17502500-310SC-R2	
		2.500	.312	TBY	2	17502500-312TBY-C2	
		2.500	.370	SC	2	17502500-370SC-R2	
		2.500	.500	TAX	2	17502500-500TAX-G2	
 VBY		2.502	.312	TBY	PA	17502502-312TBY-CPA	
		2.506	.250	VBY	2	17502506-250VBY-C2	
		2.625	.375	TAX	2	17502625-375TAX-C2	
		2.716	.359	VBY	2	17502716-359VBY-G2	
 KBY		2.750	.375	SC	2	17502750-375SC-R2	
		2.750	.375	TBY	2	17502750-375TBY-C2	
		2.750	.375	TBY	2	17502750-375TBY-G2	
		2.750	.375	TBY	2	17502750-375TBY-G2	
		2.812	.375	SC	2	17502812-375SC-R2	
		2.875	.313	SBY	2	17502875-313SBY-C2	
 SAX		2.997	.313	TCAX	V	17502997-313TCAX-CV	
		3.264	.313	TBY	2	17503264-313TBY-C2	
		3.264	.313	TCAX	V	17503264-313TCAX-CV	
		1.760	3.450	.395	VBX	2	17603450-395VBX-C2
 TAX	1.762	2.411	.375	SBF	S	17622411-375SBF-PS	
		2.953	.312	TBY	2	17622953-312TBY-C2	
	1.763	2.409	.380	TBY	2	17632409-380TBY-P2	

70







Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
1.766	2.412	.375	TBY	2	17662412-375TBY-C2	
1.781	2.250	.375	TBR	3	17812250-375TBR-C3/CW	
	2.252	.375	TC	2	17812252-375TC-R2	
1.793	1.920	.125	VBY	2	17931920-125VBY-C2	
	1.920	.180	VBY	2	17931920-180VBY-C2	
	2.228	.125	VBY	2	17932228-125VBY-C2	
	2.228	.250	VBY	2	17932228-250VBY-C2	
1.811	1.218	.109	VB	2	18111218-109VB-C2	
1.812	2.625	.375	SC	2	18122625-375SC-R2	
	2.686	.437	SAX	2	18122686-437SAX-C2	
1.813	2.562	.313	TBY	2	18132562-313TBY-C2	
	2.562	.313	TBY	V	18132562-313TBY-CV	
1.844	2.750	.312	SBHP	2	18442750-312SBHP-C2	
	2.750	.312	SBHP	PA	18442750-312SBHP-CPA	
	2.750	.312	TBHP	2	18442750-312TBHP-C2	
	2.750	.312	TBHP	PA	18442750-312TBHP-CPA	
1.845	2.170	.203	KC	V	18452170-203KC-RV	
1.868	2.518	.480	TBTX	2	18682518-480TBTX-C2	
	2.518	.490	TBTX	2	18682518-490TBTX-C2	
1.870	2.370	.250	SC	2	18702370-250SC-R2	
	2.810	.375	SC	2	18702810-375SC-R2	
	2.870	.375	SC	2	18702870-375SC-R2	
1.872	2.502	.375	TBY	PA	18722502-375TBY-PPA/CW	
1.875	2.000	.437	SAX	2	18752000-437SAX-C2	
	2.125	.125	VC	2	18752125-125VC-R2	
	2.176	.109	VB	2	18752176-109VB-C2	
	2.401	.272	VBY	2	18752401-272VBY-C2	
	2.470	.312	TB	V	18752470-312TB-PV	
	2.500	.250	SC	2	18752500-250SC-R2	
	2.500	.375	SC	2	18752500-375SC-R2	
	2.500	.437	SAX	PA	18752500-437SAX-CPA	
	2.500	.437	SAX	2	18752500-437SAX-C2	
	2.502	.250	WPB	4	18752502-250WPB-G4	
	2.560	.345	TC	V	18752560-345TC-RV/CW	
	2.561	.469	TCX	2	18752561-469TCX-R2	
	2.561	.528	TBT5	2	18752561-528TBT5-C2	
	2.625	.375	SC	2	18752625-375SC-R2	
	2.750	.375	SBR	2	18752750-375SBR-G2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

 SC	OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
 TC	1.875	2.750	.375	SC	2	18752750-375SC-R2
		2.750	.500	SAX	2	18752750-500SAX-C2
		2.750	.500	SC	2	18752750-500SC-R2
		2.750	.500	TAX	2	18752750-500TAX-C2
		2.750	.500	TBY	2	18752750-500TBY-C2
 VC		2.755	.360	TC	2	18752755-360TC-R2
		3.000	.500	SC	2	18753000-500SC-R2
		3.187	.500	SC	2	18753187-500SC-R2
		3.371	.468	TAX	2	18753371-468TAX-C2
 KC	1.892	2.999	.562	SAX	2	18922999-562SAX-C2
	1.910	2.681	.437	TC	2	19102681-437TC-R2/CW
 SBY	1.915	2.475	.312	TB	V	19152475-312TB-CV
		2.475	.312	TB	2	19152475-312TB-C2
 TBY	1.931	2.648	.330	TCX	PA	19312648-330TCX-RPA/CW
	1.937	2.623	.312	TBY	2	19372623-312TBY-C2
		2.687	.485	DB	2	19372687-485DB-C2
 VBY	1.938	3.000	.313	TBY	2	19383000-313TBY-G2
	1.969	2.742	.500	SAX	2	19692742-500SAX-G2
	1.999	2.125	.125	VBY	2	19992125-125VBY-C2
	2.000	2.313	.109	VB	2	20002313-109VB-C2
		2.375	.188	WPB	4	20002375-188WPB-G4
		2.375	.250	VB	2	20002375-250VB-C2
		2.500	.312	VB	2	20002500-312VB-C2
 KBY		2.502	.312	WPB	4	20002502-312WPB-G4
		2.502	.312	WPB	4	20002502-312WPB-G4
		2.563	.375	DB	2	20002563-375DB-C2
		2.623	.250	WPB	4	20002623-250WPB-G4
		2.625	.312	TBY	PA	20002625-312TBY-PPA/CW
		2.632	.313	TBY	2	20002632-313TBY-G2
		2.686	.250	WPB	4	20002686-250WPB-C4
		2.686	.375	SBY	2	20002686-375SBY-C2
 SAX		2.686	.375	TBY	2	20002686-375TBY-C2
		2.686	.500	SAX	2	20002686-500SAX-C2
		2.745	.230	VBY	2	20002745-230VBY-C2
		2.750	.250	SC	2	20002750-250SC-R2
		2.750	.375	SBY	2	20002750-375SBY-G2
		2.750	.375	SC	2	20002750-375SC-R2
		2.750	.500	TC3	2	20002750-500TC3-R2
 TAX		2.835	.469	SAX	2	20002835-469SAX-C2
		2.870	.375	SC	2	20002870-375SC-R2

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
2.000	2.875	.500	SBY	2	20002875-500SBY-G2	
	2.875	.500	TAX	2	20002875-500TAX-C2	
	2.880	.375	TBY	2	20002880-375TBY-C2	
	2.887	.375	TC	PA	20002887-375TC-RPA/CW	
	3.000	.375	SAX	2	20003000-375SAX-C2	
	3.000	.375	SC	2	20003000-375SC-R2	
	3.000	.500	SC	2	20003000-500SC-R2	
	3.125	.375	SC	2	20003125-375SC-R2	
	3.250	.375	SC	2	20003250-375SC-R2	
	3.371	.438	SBY	2	20003371-438SBY-C2	
	3.371	.438	SBY	V	20003371-438SBY-CV	
	3.500	.500	SC	2	20003500-500SC-R2	
	3.623	.280	SBX4	2	20003623-280SBX4-C2	
	4.250	.468	SAX	2	20004250-468SAX-C2	
	2.020	2.676	.300	TBX	2	
2.027	2.624	.250	SC	2	20272624-250SC-R2	
2.062	3.187	.453	SC	2	20623187-453SC-R2	
2.083	3.212	.200	SC	V	20833212-200SC-RV	TCS
2.120	2.680	.312	SC	2	21202680-312SC-R2	
2.125	2.500	.188	VBY	2	21252500-188VBY-C2	
	2.875	.375	SC	2	21252875-375SC-R2	
	2.875	.500	SBY	2	21252875-500SBY-C2	
	2.880	.530	TBT5	2	21252880-530TBT5-C2/CW	
	2.996	.370	TBY	XN	21252996-370TBY-CXN	
	2.996	.370	TBY	2	21252996-370TBY-C2	
	3.000	.375	TBY	2	21253000-375TBY-C2	
	3.000	.500	SAX	2	21253000-500SAX-C2	
	3.000	.500	SC	2	21253000-500SC-R2	
	3.060	.500	SBY	2	21253060-500SBY-C2	
	3.061	.500	TAX	2	21253061-500TAX-G2	
	3.066	.500	TAX	2	21253066-500TAX-G2	
	3.189	.375	TBY	2	21253189-375TBY-C2	
	3.189	.468	SAX	2	21253189-375SAX-C2	
	3.189	.468	TBY	2	21253189-468TBY-C2	
	3.371	.312	KBY	2	21253371-312KBY-C2	
	3.500	.500	SC	2	21253500-500SC-R2	
2.156	3.189	.437	TBY	2	21563189-437TBY-C2	
2.162	3.544	.375	TC	2	21623544-375TC-R2	
2.180	3.190	.620	TBY	2	21803190-620TBY-C2	
	3.250	.375	SC	2	21803250-375SC-R2	TC3









Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (INCHES)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC		2.187	2.996	.437	TAX	2	21872996-437TAX-C2
			3.000	.375	SC	2	21873000-375SC-R2
TC			3.187	.500	SC	2	21873187-500SC-R2
		2.250	2.692	.109	VB	2	22502692-109VB-C2
			2.875	.250	VB3Y	2	22502875-250VB3Y-C2
VC			2.996	.437	TBY	S	22502996-437TBY-CS
			2.996	.437	TBY	2	22502996-437TBY-C2
			2.996	.437	TBY	PA	22502996-437TBY-CPA
			2.997	.250	VB3Y	2	22502997-250VB3Y-C2
			3.000	.375	SBY	2	22503000-375SBY-C2
KC			3.000	.375	SBY	V	22503000-375SBY-CV
			3.000	.375	SC	2	22503000-375SC-R2
			3.000	.375	TB	2	22503000-375TB-G2
			3.000	.375	TBY	2	22503000-375TBY-C2
			3.180	.500	SC	2	22503180-500SC-R2
			3.250	.375	TBY	2	22503250-375TBY-C2
			3.250	.500	SC	2	22503250-500SC-R2
SBY			3.251	.500	TAX	2	22503251-500TAX-C2
			3.375	.375	KBY	2	22503375-375KBY-C2
			3.375	.375	VBY	2	22503375-375VBY-C2
			3.500	.250	VAXX	2	22503500-250VAXX-C2
			3.500	.500	SC	2	22503500-500SC-R2
			3.620	.500	SC	2	22503620-500SC-R2
TBY		2.251	3.376	.250	TC	PA	22513376-250TC-RPA
		2.307	2.897	.337	SC	2	23072897-337SC-R2
VBY		2.310	3.120	.375	SC	2	23103120-375SC-R2
			3.350	.312	SC	2	23103350-312SC-R2
VCX		2.312	2.504	.250	VCX	2	23122504-250VCX-R2
		2.328	3.000	.395	SBY	2	23283000-395SBY-C2
KBY			3.000	.395	SBY	PA	23283000-395SBY-CPA
		2.330	3.000	.400	SBR	2	23303000-400SBR-C2
SAX			3.000	.400	SBR	PA	23303000-400SBR-CPA
		2.370	3.375	.935	DB	2	23703375-935DB-C2
TAX			3.500	.375	SC	2	23703500-375SC-R2
		2.375	2.829	.187	KC	V	23752829-187KC-RV
			3.000	.250	VC	2	23753000-250VC-R2
			3.125	.375	SC	2	23753125-375SC-R2
			3.350	.468	TAX	2	23753350-468TAX-G2
			3.484	.500	TC	2	23753484-500TC-R2
	3.500	.375	SAX	2	23753500-375SAX-C2		

74









Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
2.375	3.500	.500	SC	2	23753500-500SC-R2	
	3.603	.437	TAX	2	23753603-437TAX-G2	
	3.623	.438	TAX	2	23753623-438TAX-C2	
	3.623	.438	TAX	PA	23753623-438TAX-CPA	
	3.625	.437	SAX	2	23753625-437SAX-G2	
2.420	2.829	.187	KC	V	24202829-187KC-RV	
	2.829	.187	VC	V	24202829-187VC-RV	
2.435	3.375	.500	SC	2	24353375-500SC-R2	VAX
2.437	3.188	.375	SCX4	2	24373188-375SCX4-R2	
	3.188	.375	SCX4	V	24373188-375SCX4-RV	
	3.251	.437	TAX	2	24373251-437TAX-C2	
2.438	3.350	.375	TBY	2	24383350-375TBY-C2	KAX
2.474	3.543	.285	LAX	2	24743543-285LAX-C2	
2.500	2.936	.109	VB	2	25002936-109VB-C2	
	3.000	.250	VBY	2	25003000-250VBY-G2	
	3.154	.455	VBYX	2	25003154-455VBYX-C2	
	3.251	.500	SAX	2	25003251-500SAX-C2	
	3.251	.500	SAX	PA	25003251-500SAX-CPA	
	3.500	.375	TAX	2	25003500-375TAX-C2	
	3.500	.500	SAX	2	25003500-500SAX-C2	
	3.500	.500	TAX	2	25003500-500TAX-C2	
	3.500	.500	TAX	PA	25003500-500TAX-CPA	
	3.695	.500	SAXF	2	25003695-500SAXF-C2	
	3.695	.500	SAXF	S	25003695-500SAXF-CS	
	3.695	.525	SAXF	2	25003695-525SAXF-C2	
	3.695	.525	SAXF	S	25003695-525SAXF-CS	
	3.875	.250	SC	2	25003875-250SC-R2	
	3.875	.469	TC3	2	25003875-469TC3-R2	
3.875	.500	TC3	2	25003875-500TC3-R2		
4.000	.500	SC	2	25004000-500SC-R2		
2.562	3.375	.375	SC	2	25623375-375SC-R2	
2.563	1.125	.250	TBY	2	25631125-250TBY-C2	
	3.937	.375	TBY	2	25633937-375TBY-C2	
2.598	2.980	.500	VBX	2	25982980-500VBX-C2	
	3.481	.500	TAX	2	25983481-500TAX-C2	
	3.481	.500	TAX	PA	25983481-500TAX-CPA	
	4.000	.500	TBY	2	25984000-500TBY-C2	
2.625	3.350	.375	SBY	2	26253350-375SBY-C2	
	3.623	.438	SAX	2	26253623-438SAX-C2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC							
TC		2.625	3.623	.468	TAX	2	26253623-468TAX-C2
			3.623	.468	TAX	PA	26253623-468TAX-CPA
			3.625	.468	SAX	2	26253625-468SAX-G2
			3.695	.500	SAX	S	26253695-500SAX-CS
			3.695	.500	SAX	2	26253695-500SAX-C2
VC			3.751	.438	TAX	2	26253751-438TAX-C2
			3.751	.500	SBY	2	26253751-500SBY-C2
			3.813	.415	VAXX	2	26253813-415VAXX-C2
			3.876	.469	SAX	2	26253876-469SAX-C2
			4.438	.438	SAX	2	26254438-438SAX-C2
			4.563	.718	XXX	PA	26254563-718XX-CPA
KC		2.680	4.000	.500	SC	2	26804000-500SC-R2
		2.687	3.750	.500	TBR	2	26873750-500TBR-G2
		2.700	3.349	.470	LBX	2	27003349-470LBX-C2
SBY		2.750	3.193	.109	VB	2	27503193-109VB-C2
			3.500	.294	XX	2	27503500-294XX-C2
			3.500	.375	TBY	2	27503500-375TBY-C2
			3.500	.375	TBY	V	27503500-375TBY-CV
			3.500	.500	TBR	2	27503500-500TBR-G2
TBY			3.500	.562	TC	2	27503500-562TC-R2
			3.543	.438	SAX	2	27503543-438SAX-C2
			3.543	.438	SAX	PA	27503543-438SAX-CPA
			3.543	.500	SAX	2	27503543-500SAX-C2
			3.543	.500	SAX	PA	27503543-500SAX-CPA
			3.543	.500	TAX	2	27503543-500TAX-C2
			3.543	.500	TAX	PA	27503543-500TAX-CPA
VBY			3.543	.500	TBY	2	27503543-500TBY-C2
			3.543	.500	TBY	PA	27503543-500TBY-CPA
			3.750	.500	SC	2	27503750-500SC-R2
			3.751	.438	SAX	2	27503751-438SAX-C2
KBY			3.876	.468	TBY	2	27503876-468TBY-C2
			3.876	.468	TBY	PA	27503876-468TBY-CPA
			4.500	.500	SC	2	27504500-500SC-R2
		2.812	3.878	.187	VB	2	28123878-187VB-C2
SAX		2.844	4.003	.500	SAX	2	28444003-500SAX-C2
			4.003	.500	SAX	V	28444003-500SAX-CV
		2.864	3.250	.500	VBX	2	28643250-500VBX-C2
TAX		2.870	4.250	.500	SC	2	28704250-500SC-R2
		2.875	3.550	.425	VBYX	2	28753550-425VBYX-C2
		3.625	.375	SC	2	28753625-375SC-R2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.










OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
2.875	3.750	.500	SAX	S	28753750-500SAX-CS	
	3.751	.438	SAX	2	28753751-438SAX-C2	
	3.751	.500	SAX	2	28753751-500SAX-C2	
	3.875	.500	SC	2	28753875-500SC-R2	
	4.003	.500	SAX	2	28754003-500SAX-C2	
2.937	3.751	.500	SAX	2	29373751-500SAX-C2	
	3.937	.500	TAX	2	29373937-500TAX-C2	
	3.937	.500	TAX	PA	29373937-500TAX-CPA	
	4.007	.620	TAX	2	29374007-620TAX-G2	
2.953	4.528	.375	TBY	2	29534528-375TBY-C2	
2.988	3.740	.374	TC	S	29883740-374TC-RS/CCW	
3.000	3.438	.109	VB	2	30003438-109VB-C2	
	3.530	.200	SC	S	30003530-200SC-RS/CCW	
	3.725	.375	TCSX	V	30003725-375TCSX-RV	
	3.740	.425	TC	V	30003740-425TC-RV/CCW	
	3.750	.375	SC	2	30003750-375SC-R2	
	3.751	.250	VBY	2	30003751-250VBY-C2	
	3.751	.375	SBY	2	30003751-375SBY-C2	
	3.876	.438	SAX	2	30003876-438SAX-C2	
	3.876	.469	SAX	2	30003876-469SAX-C2	
	3.876	.469	SAX	V	30003876-469SAX-CV	
	4.000	.375	SC	2	30004000-375SC-R2	
	4.000	.437	TC	2	30004000-437TC-R2	
	4.003	.438	SAX	2	30004003-438SAX-C2	
	4.003	.468	TAX	2	30004003-468TAX-C2	
	4.003	.468	TAX	PA	30004003-468TAX-CPA	
	4.120	.500	SC	2	30004120-500SC-R2	
	4.249	.438	TAX	2	30004249-438TAX-C2	
4.249	.438	TAX	PA	30004249-438TAX-CPA		
4.249	.625	SAX	2	30004249-625SAX-C2		
4.250	.500	SC	2	30004250-500SC-R2		
4.331	.500	SAX	2	30004331-500SAX-C2		
4.499	.468	SAX	2	30004499-468SAX-C2		
4.499	.468	SAX	V	30004499-468SAX-CV		
3.063	3.813	.371	SC	2	30633813-371SC-R2	
3.100	3.943	.425	VBYX	2	31003943-425VBYX-C2	
3.120	4.000	.500	SC	2	31204000-500SC-R2	
3.125	4.125	.500	TAX	2	31254125-500TAX-C2	
	4.125	.500	TAX	PA	31254125-500TAX-CPA	
	4.125	.562	SAX	2	31254125-562SAX-C2	
	4.500	.500	TAX	2	31254500-500TAX-C2	
						

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (INCHES)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC							
TC		3.129	4.921	.394	SBHP	2	31294921-394SBHP-C2
			4.921	.394	SBHP	PA	31294921-394SBHP-CPA
			4.921	.394	TBHP	2	31294921-394TBHP-C2
			4.921	.394	TBHP	PA	31294921-394TBHP-CPA
VC		3.250	3.870	.109	VB	2	32503870-109VB-C2
			3.915	.500	TC	V	32503915-500TC-RV/CCW
			3.940	.250	VBYX	2	32503940-250VBYX-C2
			4.125	.562	SAX	2	32504125-562SAX-C2
			4.249	.438	SAX	2	32504249-438SAX-C2
			4.249	.438	TAX	2	32504249-438TAX-C2
			4.249	.500	TAX	2	32504249-500TAX-C2
			4.250	.430	SAX	2	32504250-430SAX-C2
KC		4.500	.740	TAXX	2	32504500-740TAXX-R2	
		4.500	.780	TAXX	2	32504500-780TAXX-R2	
		4.626	.500	SAX	2	32504626-500SAX-C2	
		3.271	3.655	.500	VBX W/GASKET	2	32713655-500VBX-C2
		3.312	5.125	.500	SAX	2	33125125-500SAX-C2
SAX		3.370	4.185	.437	SCX	2	33704185-437SCX-R2
		3.375	4.375	.500	SC	2	33754375-500SC-R2
		4.379	.559	SAX	2	33754379-559SAX-G2	
TBY		5.000	.500	SC	2	33755000-500SC-R2	
		3.436	4.625	.484	XSAX	2	34364625-484XSAX-C2
		3.437	4.626	.500	TAX	2	34374626-500TAX-C2
VBY		4.750	.500	SC	2	34374750-500SC-R2	
		3.485	4.733	.425	VBYX	2	34854733-425VBYX-C2
KBY		3.500	4.000	.250	SBY	2	35004000-250SBY-C2
			4.000	.250	TBY	2	35004000-250TBY-C2
			4.000	.313	TC	3	35004000-313TC-R3
			4.005	.250	SB	2	35004005-250SB-C2
			4.112	.109	VB	2	35004112-109VB-C2
SAX		4.370	.375	SC	2	35004370-375SC-R2	
		4.370	.500	SC	2	35004370-500SC-R2	
		4.376	.375	TBY	2	35004376-375TBY-C2	
		4.376	.375	TBY	V	35004376-375TBY-CV	
		4.376	.438	TAX	2	35004376-438TAX-G2	
		4.500	.430	SC	2	35004500-430SC-R2	
		4.500	.500	TC	2	35004500-500TC-R2	
		4.501	.438	SAX	2	35004501-438SAX-C2	
TAX		4.501	.468	SBY	PA	35004501-468SBY-CPA	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.











OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
3.500	4.501	.468	SBY	2	35004501-468SBY-C2	
	4.501	.468	TAX	2	35004501-468TAX-C2	
	4.501	.468	TAX	PA	35004501-468TAX-CPA	
	4.625	.500	SC	2	35004625-500SC-R2	
	4.750	.250	VB3Y	2	35004750-250VB3Y-C2	
	4.750	.375	TBY	2	35004750-375TBY-C2	
	4.751	.375	TBY	2	35004751-375TBY-C2	
	4.751	.375	TBY	PA	35004751-375TBY-CPA	
	4.875	.500	TAX	2	35004875-500TAX-C2	
3.563	4.501	.438	SAX	2	35634501-438SAX-C2	
3.583	4.369	.394	TBY	S	35834369-394TBY-CS/CCW	
3.620	4.626	.500	SAXF	S	36204626-500SAXF-CS	
3.625	4.240	.250	VC	2	36254240-250VC-R2	
	4.240	.380	SC	V	36254240-380SC-RV-CCW	
	4.240	.380	TC	V	36254240-380TC-RV-CCW	
	4.250	.250	VC	2	36254250-250VC-R2	
	4.252	.250	VC	2	36254252-250VC-R2	
	4.500	.500	SAXF	V	36254500-500SAXF-CV	
	4.626	.437	TBY	2	36254626-437TBY-C2	
	4.876	.250	VAX	2	36254876-250VAX-C2	
3.677	3.840	.390	VBX	2	36773840-390VBX-C2	
	3.867	.382	VBX	2	36773867-382VBX-C2	
3.740	4.527	.500	TCX	V	37404527-500TCX-RV	
3.750	4.370	.109	VB	2	37504370-109VB-C2	
	4.499	.468	TAX	2	37504499-468TAX-C2	
	4.499	.468	TAX	PA	37504499-468TAX-CPA	
	4.500	.375	SC	S	37504500-375SC-RS/CCW	
	4.505	.380	TC	S	37504505-380TC-RS/CCW	
	4.620	.500	SC	2	37504620-500SC-R2	
	4.751	.480	SAX	2	37504751-480SAX-C2	
	4.751	.480	SAX	V	37504751-480SAX-CV	
	4.751	.664	TAX	2	37504751-664TAX-C2	
	4.924	.414	LBX	2	37504924-414LBX-C2	
	5.500	.500	SC	2	37505500-500SC-R2	
	5.500	.500	SC	V	37505500-500SC-RV	
3.870	5.000	.500	SC	2	38705000-500SC-R2	
3.875	4.747	.250	VB2Y	2	38754747-250VB2Y-C2	
	4.747	.250	VB3Y	2	38754747-250VB3Y-C2	
	4.751	.438	SAX	2	38754751-438SAX-C2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.











SIZE LISTING (INCHES)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC		3.875	4.875	.500	SAX	2	38754875-500SAX-C2
		4.999	4.999	.375	TBY	2	38754999-375TBY-C2
TC		4.999	4.999	.468	SAX	2	38754999-468SAX-C2
		5.122	5.122	.425	VBYX	2	38755122-425VBYX-C2
		5.251	5.251	.438	TAX	2	38755251-438TAX-C2
		5.500	5.500	.500	SC	2	38755500-500SC-R2
VC		3.880	5.690	.500	SAX	2	38805690-500SAX-P2
		3.937	5.118	.472	SBY	2	39375118-472SBY-C2
KC		3.975	4.874	.299	SC	2	39754874-299SC-R2
		4.000	4.500	.250	SBY	2	40004500-250SBY-C2
		4.614	4.614	.109	VB	2	40004614-109VB-C2
		4.750	4.750	.500	SC	2	40004750-500SC-R2
		4.999	4.999	.438	SAX	2	40004999-438SAX-C2
SBY		4.999	4.999	.438	SAX	S	40004999-438SAX-CS
		5.000	5.000	.250	SBY	2	40005000-250SBY-C2
		5.000	5.000	.312	SAX	2	40005000-312SAX-C2
		5.000	5.000	.312	SAX	V	40005000-312SAX-CV
		5.000	5.000	.437	DB	S	40005000-437DB-PS
		5.000	5.000	.438	DB	S	40005000-438DB-CS
		5.000	5.000	.438	DB	2	40005000-438DB-C2
		5.000	5.000	.480	TC3	V	40005000-480TC3-RV
		5.000	5.000	.500	SAX	2	40005000-500SAX-C2
		5.000	5.000	.500	SAX	PA	40005000-500SAX-CPA
TBY		5.000	5.000	.500	SC	2	40005000-500SC-R2
		5.250	5.250	.500	SC	2	40005250-500SC-R2
		5.376	5.376	.500	TAX	2	40005376-500TAX-C2
		5.625	5.625	.438	SAX	2	40005625-438SAX-C2
		5.625	5.625	.438	SAX	V	40005625-438SAX-CV
VBY		5.625	5.625	.438	SAX	PA	40005625-438SAX-CPA
KBY		4.125	5.000	.469	SAX	PA	41255000-469SAX-CPA
		5.000	5.000	.469	SAX	2	41255000-469SAX-C2
SAX		4.250	4.870	.109	VB	2	42504870-109VB-C2
		5.251	5.251	.375	TBY	2	42505251-375TBY-C2
		5.251	5.251	.438	SAX	2	42505251-438SAX-C2
		5.372	5.372	.500	SC	2	42505372-500SC-R2
		5.375	5.375	.500	SBY	2	42505375-500SBY-C2
TAX		5.376	5.376	.500	SBY	2	42505376-500SBY-C2
		5.500	5.500	.500	SC	2	42505500-500SC-R2
TAX		4.330	5.708	.472	SBY	2	43305708-472SBY-C2
		4.370	6.000	.500	SC	2	43706000-500SC-R2











Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
4.437	5.500	.562	SAX	2	44375500-562SAX-C2	
4.500	5.500	.250	VC	2	45005500-250VC-R2	
	5.500	.375	SC	2	45005500-375SC-R2	KCAX
	5.500	.500	SAX	2	45005500-500SAX-C2	
	5.501	.438	SAX	2	45005501-438SAX-C2	
	5.501	.438	SAX	V	45005501-438SAX-CV	
	5.620	.500	SC	2	45005620-500SC-R2	VAX
	5.750	.500	SC	2	45005750-500SC-R2	
	6.001	.500	SAX	2	45006001-500SAX-C2	
	6.250	.562	SAX	2	45006250-562SAX-C2	
	6.250	.562	SAX	PA	45006250-562SAX-CPA	
	6.300	.448	VBYX	2	45006300-448VBYX-C2	
4.561	5.930	.500	SC	2	45615930-500SC-R2	KAX
4.625	5.500	.562	SAX	2	46255500-562SAX-C2	
	5.750	.500	SC	2	46255750-500SC-R2	
	6.186	1.250	TAXX	2	46256186-1250TAXX-C2	
4.687	5.750	.510	SAX	2	46875750-510SAX-C2	TCS
	5.750	.510	SAX	S	46875750-510SAX-CS	
4.750	5.750	.500	SC	2	47505750-500SC-R2	
	6.000	.560	SAX	2	47506000-560SAX-G2	
	6.102	.472	TBY	2	47506102-472TBY-C2	
4.812	5.750	.580	SAX	2	48125750-580SAX-C2	SCS
	5.750	.580	SAX	S	48125750-580SAX-CS	
4.875	6.000	.500	SAX	V	48756000-500SAX-CV	
	6.000	.500	SAX	2	48756000-500SAX-C2	
4.985	7.090	.440	VBYX	2	49857090-440VBYX-C2	SBS
5.000	6.000	.500	SC	2	50006000-500SC-R2	
	6.250	.500	SAX	2	50006250-500SAX-C2	
	6.250	.562	SC	2	50006250-562SC-R2	
	6.375	.500	TAX	2	50006375-500TAX-C2	
	6.749	.500	TAX	2	50006749-500TAX-C2	
	7.000	.540	TAX	2	50007000-540TAX-C2	
5.120	6.500	.610	SC	2	51206500-610SC-R2	
	6.500	.610	SC	S	51206500-610SC-RS	
5.187	6.500	.625	SAX	S	51876500-625SAX-CS	
	6.500	.625	SAX	2	51876500-625SAX-C2	
	6.500	.625	SC	2	51876500-625SC-R2	
	6.500	.625	SC	S	51876500-625SC-RS	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

 SC	OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
 TC	5.250	6.000	.375	SBY	2	52506000-375SBY-C2
		6.250	.250	VC	2	52506250-250VC-R2
		6.250	.500	SC	2	52506250-500SC-R2
 VC	5.375	6.624	.562	TAX	2	53756624-562TAX-C2
		6.687	.562	SBY	2	53756687-562SBY-C2
 KC	5.483	7.877	.445	VBYX	2	54837877-445VBYX-C2
	5.500	6.127	.375	SBY	2	55006127-375SBY-C2
		6.625	.670	DB	2	55006625-670DB-C2
		6.625	.670	DB	S	55006625-670DB-CS
		6.625	.670	TAX	2	55006625-670TAX-C2
		6.625	.670	TAX	S	55006625-670TAX-CS
		6.875	.562	SC	2	55006875-562SC-R2
 SBY	5.625	6.627	.500	SC	2	56256627-500SC-R2
		7.125	.500	TAX	2	56257125-500TAX-C2
	5.709	6.890	.512	SAX	2	57096890-512SAX-G2
 TBY		6.890	.551	TB	2	57096890-551TB-G2
	5.750	7.187	.830	TAXX	2	57507187-830TAXX-C2
	5.935	7.000	.500	SC	2	59357000-500SC-R2
	6.204	7.328	.562	SAX	2	62047328-562SAX-C2
 VBY		7.328	.562	SAXF	S	62047328-562SAXF-CS
	6.250	7.750	.750	DBX	2	62507750-750DBX-C2
	6.312	7.500	.690	TAX	V	63127500-690TAX-CV
	6.328	7.330	.500	SAX	2	63287330-500SAX-C2
		7.330	.500	SAX	S	63287330-500SAX-CS
 KBY		7.330	.625	DB	S	63287330-625DB-CS
		7.330	.625	DBX	S	63287330-625DBX-PS
	6.500	7.500	.500	SAX	2	65007500-500SAX-C2
		7.500	.562	TAX	2	65007500-562TAX-C2
 SAX		7.627	.625	SAX	2	65007627-625SAX-C2
	6.625	7.500	.625	SC	2	66257500-625SC-R2
	6.875	7.880	.625	SAX	2	68757880-625SAX-C2
 TAX	7.125	8.625	.562	SC	2	71258625-562SC-R2
	8.375	9.875	.560	SC	2	83759875-560SC-R2

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.







OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
8.625	9.625	.500	SC	2	86259625-500SC-R2	
9.000	10.375	.625	SBYX	4	900010375-625SBYX-G4	KCAX
9.750	11.000	.750	SC	2	975011000-750SC-R2	
9.910	10.997	.600	SBX	2	991010997-600SBX-C2	VAX
						
						KAX
						
						TCS
						
						SCS
						
						SBS
						
						DC
						
						DB
						
						TC3

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.











SIZE LISTING (METRIC)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER						
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L							
SC													
TC		6	16	6	TC	2	6X16-6TC-R2						
			16	7	SC	2	6X16-7SC-R2						
			22	7	SC	2	6X22-7SC-R2						
			22	7	TC	2	6X22-7TC-R2						
VC		7	22	7	TC	2	7X22-7TC-R2						
			8	15.5	12	VBX	V	8X15.5-12VBX-CV					
				15.5	12	VBX	PA	8X15.5-12VBX-CPA					
				15.5	12	VBX	PA	8X15.5-12VBX-GPA					
				16	7	SC	2	8X16-7SC-R2					
				18	5	SC	2	8X18-5SC-R2					
22	7	TC		2	8X22-7TC-R2								
KC		9	24	7	TC	2	8X24-7TC-R2						
			24	7	TC	2	9X22-7TC-R2						
			24	7	TC	2	9X24-7TC-R2						
			26	7	TC	2	9X26-7TC-R2						
SBY		10	16	5	SC	2	10X16-5SC-R2						
			19	4	SC	2	10X19-4SC-R2						
			19	7	SC	2	10X19-7SC-R2						
			20	5	TBHP	PA	10X20-5TBHP-CPA						
			20	5	TBHP	2	10X20-5TBHP-C2						
			22	7	SC	2	10X22-7SC-R2						
			24	7	SC	2	10X24-7SC-R2						
			24	7	TC	2	10X24-7TC-R2						
			25.5	5	SC	2	10X25.5-5SC-R2						
			26	7	SC	2	10X26-7SC-R2						
TBY		10	26	7	TC	2	10X26-7TC-R2						
			30	7	SC	2	10X30-7SC-R2						
			VBY		11	22	7	TC	2	11X22-7TC-R2			
						26	7	TC	2	11X26-7TC-R2			
						KBY		11.78	24	7	SC	2	11.78X24-7SC-R2
									11.8	24	7	SC	2
11.9	19.14	4							SB	2	11.9X19.14-4SB-G2		
SAX		12							18	4	SB	2	12X18-4SB-G2
			21	4	SC	2	12X21-4SC-R2						
			22	7	SC	2	12X22-7SC-R2						
			22	7	TC	2	12X22-7TC-R2						
			22.5	7	TC	2	12X22.5-7TC-R2						
			24	6	SC	V	12X24-6SC-RV						
TAX		12	24	7	SC	2	12X24-7SC-R2						










Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
12	24	7	SC	V	12X24-7SC-RV	
	24	7	TC	2	12X24-7TC-R2	
	26	7	TC	2	12X26-7TC-R2	
	26	12.4	TCX	2	12X26-12.4TCX-R2	
	28	6	SC	V	12X26-6SC-RV	
	28	7	SC	2	12X28-7SC-R2	
	28	7	TC	2	12X28-7TC-R2	
	28	10	SCX	2	12X28-10SCX-R2	
	30	7	TC	2	12X30-7TC-R2	
	32	4	SC	2	12X32-4SC-R2	
	32	4.8	TCX6	2	12X32-4.8TCX6-R2	
	32	7	SC	2	12X32-7SC-R2	
	36	12.4	TCX	2	12X36-12.4TCX-R2	
	13	19	3	VB	2	
13.65	39.72	6.5	TB	2	13.65X39.72-6.5TB-G2	KAX
14	22	7	SC	2	14X22-7SC-R2	
	24	7	SC	2	14X24-7SC-R2	
	24	7	TC	2	14X24-7TC-R2	
	28	7	TC	2	14X28-7TC-R2	
	30	7	TC	2	14X30-7TC-R2	
	32	7	SC	2	14X32-7SC-R2	
	35	7	TC	2	14X35-7TC-R2	
	35.15	6.5	TB	2	14X35.15-6.5TB-G2	
14.8	22.35	3.2	TB	2	14.8X22.35-3.2TB-G2	
15	24	7	SC	2	15X24-7SC-R2	
	26	6	SC	2	15X26-6SC-R2	
	26	7	SC	2	15X26-7SC-R2	
	28	7	SC	2	15X28-7SC-R2	
	29.6	4	TB	V	15X29.6-4TB-GV	
	30	7	SC	2	15X30-7SC-R2	
	30	7	TC	2	15X30-7TC-R2	
	30	10	SC	2	15X30-10SC-R2	
	32	7	SC	2	15X32-7SC-R2	
	32	7	TC	2	15X32-7TC-R2	
	35	4	TCX6	2	15X35-4TCX6-R2	
	35	5	SC	2	15X35-5SC-R2	
	35	6	TC	2	15X35-6TC-R2	
	35	7	SC	2	15X35-7SC-R2	
	35	7	TC	2	15X35-7TC-R2	
	35	8	TC	2	15X35-8TC-R2	
	39	13.4	TCX	2	15X39-13.4TCX-R2	
	39	14.9	TCX	2	15X39-14.9TCX-R2	
15.77	26	6.35	TC	PA	15.77X26-6.35TC-RPA	
						TC3

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

 SC		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
 TC	16	24	5	SC	2	16X24-5SC-R2	
		24	7	SC	2	16X24-7SC-R2	
		26	6.6	TC	V	16X26-6.6TC-RV	
		28	7	SC	2	16X28-7SC-R2	
		28	7	TC	2	16X28-7TC-R2	
		30	7	TC	2	16X30-7TC-R2	
		32	7	SC	2	16X32-7SC-R2	
 VC		32	7	TC	2	16X32-7TC-R2	
		35	7	TC	2	16X35-7TC-R2	
		40	10	TC	2	16X40-10TC-R2	
 KC	17	23	4.2	TCS	HN	17X23-4.2TCS-RHN	
		26	7	SC	2	17X26-7SC-R2	
		28	6	SC	2	17X28-6SC-R2	
		28	7	SC	2	17X28-7SC-R2	
		30	6	TBHP	2	17X30-6TBHP-C2	
		30	6	TBHP	PA	17X30-6TBHP-CPA	
		30	7	SC	2	17X30-7SC-R2	
		30	7	TC	2	17X30-7TC-R2	
		32	6	VC	2	17X32-6VC-R2	
		32	7	TC	2	17X32-7TC-R2	
 SBY		35	5	SC	2	17X35-5SC-R2	
		35	7	SC	2	17X35-7SC-R2	
		35	7	TC	2	17X35-7TC-R2	
		35	8	SC	2	17X35-8SC-R2	
		35	10	SC	2	17X35-10SC-R2	
		40	7	SC	2	17X40-7SC-R2	
 TBY		40	7	TC	2	17X40-7TC-R2	
 VBY	18	24	3	VB	2	18X24-3VB-C2	
		24	3	WPX	2	18X24-3WPX-C2	
		28	6	SC	2	18X28-6SC-R2	
		30	6	TC	2	18X30-6TC-R2	
		30	7	SC	2	18X30-7SC-R2	
		30	7	TCX	2	18X30-7TCX-R2	
		32	7	SC	2	18X32-7SC-R2	
		32	7.9	TBR	PA	18X32-7.9TBR-GPA	
		35	7	SC	2	18X35-7SC-R2	
		40	7	SC	2	18X40-7SC-R2	
 KBY		40	7	TC	2	18X40-7TC-R2	
 SAX	19	28	5	SBY	2	19X28-5SBY-C2	
		30	7	TC	2	19X30-7TC-R2	
		32	6	TC	2	19X32-6TC-R2	
		32	7	TC4	2	19X32-7TC4-R2	
		35	7	TC	2	19X35-7TC-R2	
		36	8	SC	2	19X36-8SC-R2	
		37	6.5	TC4	2	19X37-6.5TC4-R2	
 TAX							

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.












OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
19	42	6.5	TC4	2	19X42-6.5TC4-R2	
	47	7	TC	2	19X47-7TC-R2	
20	28	6	SC	2	20X28-6SC-R2	
	28	6	VC	2	20X28-6VC-R2	
	28	7	SC	2	20X28-7SC-R2	
	30	5	SC	2	20X30-5SC-R2	
	30	7	SC	2	20X30-7SC-R2	
	30	7	TC	2	20X30-7TC-R2	
	31	7	SB	2	20X31-7SB-C2	
	32	7	SC	2	20X32-7SC-R2	
	35	7	SB	2	20X35-7SB-G2	
	35	7	SC	2	20X35-7SC-R2	
	35	7	TC	2	20X35-7TC-R2	
	35	9	SCH	HN	20X35-9SCH-RHN	
	37	7	TC	2	20X37-7TC-R2	
	38	6.5	SB	2	20X38-6.5SB-C2	
	38	8	SC	2	20X38-8SC-R2	
	38	8	TC	2	20X38-8TC-R2	
	40	7	SC	2	20X40-7SC-R2	
	40	7	TC	2	20X40-7TC-R2	
	42	7	SC	2	20X42-7SC-R2	
42	10	SAX	2	20X42-10SAX-G2		
47	7	SC	2	20X47-7SC-R2		
47	7	TC	2	20X47-7TC-R2		
47	10	SC	2	20X47-10SC-R2		
52	7	SC	2	20X52-7SC-R2		
52	10	SC	2	20X52-10SC-R2		
20.5	27	4.78	SC	2	20.5X27-4.78SC-R2	
22	30	7	SBY	2	22X30-7SBY-G2	
	30.6	4.5	TC	2	22X30.6-4.5TC-R2	
	31	6.5	SC	2	22X31-6.5SC-R2	
	32	7	SC	2	22X32-7SC-R2	
	32	7	TC	2	22X32-7TC-R2	
	35	6	TC	2	22X35-6TC-R2	
	35	7	TC	2	22X35-7TC-R2	
	35	7	SC	2	22X35-7SC-R2	
	40	8	SC	2	22X40-8SC-R2	
	40	10	SC	2	22X40-10SC-R2	
47	7	TC	2	22X47-7TC-R2		
23	34	8	TC	2	23X34-8TC-R2/CCW	
	38	6.5	SC4	2	23X38-6.5SC4-R2	
	42	10	SC	2	23X42-10SC-R2	
	47	7	TC	2	23X47-7TC-R2	
						
						
						

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (METRIC)

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER								
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER		
SC	24	33	7	SC	2	24X33-7SC-R2		
		35	7	SC	2	24X35-7SC-R2		
TC	24	35	7	TC	2	24X35-7TC-R2		
		36	6.5	TC	2	24X36-6.5TC-R2		
		36	7	SCX	2	24X36-7SCX-R2		
		36	7	TC	2	24X36-7TC-R2		
		37	7	SBY	2	24X37-7SBY-G2		
VC	24	37	7	SC	2	24X37-7SC-R2		
		37	7	TC	2	24X37-7TC-R2		
		40	7	SC	2	24X40-7SC-R2		
		40	7	SCH	2	24X40-7SCH-R2		
		40	7	TC	2	24X40-7TC-R2		
KC	24	40	8	TC	2	24X40-8TC-R2		
		42	10	SC	2	24X42-10SC-R2		
		47	7	TC	2	24X47-7TC-R2		
		SBY	25	32	3.5	VC	2	25X32-3.5VC-R2
				35	6	SC	2	25X35-6SC-R2
35	6			SC	V	25X35-6SC-RV		
35	6			TC4	2	25X35-6TC4-R2		
35	7			SB	2	25X35-7SB-G2		
TBY	25	35	7	SC	2	25X35-7SC-R2		
		36	7	SC	2	25X36-7SC-R2		
		37	7	SC	2	25X37-7SC-R2		
		37	9	SCHX	2	25X37-9SCHX-R2		
		38	7	SC	2	25X38-7SC-R2		
VBY	25	38	8	TC	2	25X38-8TC-R2		
		40	7	SC	2	25X40-7SC-R2		
		40	8	SC	2	25X40-8SC-R2		
		40	10	SC	2	25X40-10SC-R2		
		40	10	TC	2	25X40-10TC-R2		
KBY	25	40	11.11	SBY	2	25X40-11.11SBY-C2		
		42	7	SC	2	25X42-7SC-R2		
		42	7	TC	2	25X42-7TC-R2		
		42	8	SC	2	25X42-8SC-R2		
		42	10	TC	2	25X42-10TC-R2		
SAX	25	45	7	SC	2	25X45-7SC-R2		
		45	10	SC	2	25X45-10SC-R2		
		45	11	TCHP	2	25X45-11TCHP-R2		
		45	11	THAX	2	25X45-11THAX-R2		
		46	7	TC	2	25X46-7TC-R2		
TAX	25	47	7	SC	2	25X47-7SC-R2		
		50	10	SC	2	25X50-10SC-R2		
		52	7	SC	2	25X52-7SC-R2		
		52	8	SC	2	25X52-8SC-R2		
		52	10	SC	2	25X52-10SC-R2		
SAX	25	52	10	TC	2	25X52-10TC-R2		
		62	9.5	TC	2	25X62-9.5TC-R2		
		62	10	SC	2	25X62-10SC-R2		

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.










OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER								
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX		
25.4	35	7	TC	V	25.4X35-7TC-RV			
	54	7	TC	2	25.4X54-7TC-R2			
	62	8	TC	2	25.4X62-8TC-R2			
26	35	7	SC	2	26X35-7SC-R2			
	35.5	6	TC4	2	26X35.5-6TC4-R2			
	37	7	TC	2	26X37-7TC-R2			
	38	6.5	SC4	2	26X38-6.5SC4-R2			
	38	8	TC	PA	26X28-8TC-RPA			
	42	7	SC	2	26X42-7SC-R2			
	42	7	TC	2	26X42-7TC-R2			
	45	7	SC	2	26X45-7SC-R2			
	47	7	TC	2	26X47-7TC-R2			
	47	10	SC	2	26X47-10SC-R2			
27	37	7	SC	2	27X37-7SC-R2			
	47	10	SC	2	27X47-10SC-R2			
	50	10	SC	2	27X50-10SC-R2			
28	38	7	SC	2	28X38-7SC-R2			
	40	7	SC	2	28X40-7SC-R2			
	40	7	TC	2	28X40-7TC-R2			
	40	10	SC	2	28X40-10SC-R2			
	42	7	SC	2	28X42-7SC-R2			
	45	8	SC	2	28X45-8SC-R2			
	45	8	TC	2	28X45-8TC-R2			
	47	7	SC	2	28X47-7SC-R2			
	50	8	SC	2	28X50-8SC-R2			
	52	7	SC	2	28X52-7SC-R2			
	52	8	SBY	2	28X52-8SBY-C2			
	52	10	SC	2	28X52-10SC-R2			
	62	10	SC	2	28X62-10SC-R2			
	30	38	4	VC	2		30X38-4VC-R2	
40		4	TC	2	30X40-4TC-R2			
40		4	VB	2	30X40-4VB-C2			
40		7	SBY	2	30X40-7SBY-G2			
40		7	SBY	V	30X40-7SBY-GV			
40		7	SC	2	30X40-7SC-R2			
40		7	TC	2	30X40-7TC-R2			
42		7	SC	2	30X42-7SC-R2			
42		7	TC	2	30X42-7TC-R2			
42		8	TC	2	30X42-8TC-R2			
43		8	SC	2	30X43-8SC-R2			
44		7	TC	S	30X44-7TC-RS			
45		5	SC	2	30X45-5SC-R2			
45		7	SC	2	30X45-7SC-R2			
45		8	SC	2	30X45-8SC-R2			
45		8	TC	PA	30X45-8TC-RPA			
30		38	4	VC	2	30X38-4VC-R2		
		40	4	TC	2	30X40-4TC-R2		
30		40	4	VB	2	30X40-4VB-C2		
	40	7	SBY	2	30X40-7SBY-G2			
	40	7	SBY	V	30X40-7SBY-GV			
	40	7	SC	2	30X40-7SC-R2			
	40	7	TC	2	30X40-7TC-R2			
	42	7	SC	2	30X42-7SC-R2			
	42	7	TC	2	30X42-7TC-R2			
	42	8	TC	2	30X42-8TC-R2			
	43	8	SC	2	30X43-8SC-R2			
	44	7	TC	S	30X44-7TC-RS			
30	45	5	SC	2	30X45-5SC-R2			
	45	7	SC	2	30X45-7SC-R2			
	45	8	SC	2	30X45-8SC-R2			
	45	8	TC	PA	30X45-8TC-RPA			
	45	8	TC	PA	30X45-8TC-RPA			
30	38	4	VC	2	30X38-4VC-R2			
	40	4	TC	2	30X40-4TC-R2			
30	40	4	VB	2	30X40-4VB-C2			
	40	7	SBY	2	30X40-7SBY-G2			

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (METRIC)

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER											
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER					
SC											
TC	30	45	10	SC	2	30X45-10SC-R2					
		46	7	TC	PA	30X46-7TC-RPA/CW					
		46	8	SC	2	30X46-8SC-R2					
		47	7	SC	2	30X47-7SC-R2					
		47	7	TC	2	30X47-7TC-R2					
		47	8	TC	2	30X47-8TC-R2					
		47	10	SC	2	30X47-10SC-R2					
		47.5	7.9	SC	2	30X47.5-7.9SC-R2					
		48	8	SC	2	30X48-8SC-R2					
		50	8	SC	2	30X50-8SC-R2					
VC	30	50	10	SC	2	30X50-10SC-R2					
		50	10	TB	2	30X50-10TB-C2					
		50	11	THAX	2	30X50-11THAX-R2					
		52	7	SC	2	30X52-7SC-R2					
		52	10	SC	2	30X52-10SC-R2					
		55	7	SC	2	30X55-7SC-R2					
		55	10	SC	2	30X55-10SC-R2					
		62	7	SC	2	30X62-7SC-R2					
		62	10	SC	S	30X62-10SC-RS					
		62	10	SC	2	30X62-10SC-R2					
SBY	30	72	10	SC	2	30X72-10SC-R2					
		31	44	6.5	SC4	2	31X44-6.5SC4-R2				
			31.5	50	8	TC	V	31.5X50-8TC-RV/CW			
				31.75	40	7	TC	2	31.75X40-7TC-R2		
					47	7	TC	2	31.75X47-7TC-R2		
					50.9	11.11	SAX	2	31.75X50.9-11.11SAX-G2		
					62	7	TC	2	31.75X62-7TC-R2		
					72	7	TC	2	31.75X72-7TC-R2		
					VBY	32	42	7	SC	2	32X42-7SC-R2
							44	8	TC	2	32X44-8TC-R2
45	7						SC	2	32X45-7SC-R2		
45	7	TC					2	32X45-7TC-R2			
47	7	SC	2				32X47-7SC-R2				
47	7	TC	2	32X47-7TC-R2							
47	10	TC	2	32X47-10TC-R2-BH							
50	12	SC	2	32X50-12SC-R2							
52	7	SC	2	32X52-7SC-R2							
KBY	32	52	7	SC			2	32X52-7SC-R2			
		33	46	8.8	TC	2	33X46-8.8TC-R2				
			34	45	7	SC	2	34X45-7SC-R2			
				47	9	SC	2	34X47-9SC-R2			
				48	7	TC	S	35X48-7TC-RS/CW			
				SAX	33	46	8.8	TC	2	33X46-8.8TC-R2	
						34	45	7	SC	2	34X45-7SC-R2
							47	9	SC	2	34X47-9SC-R2
							48	7	TC	S	35X48-7TC-RS/CW
							TAX	34	45	7	SC
47	9								SC	2	34X47-9SC-R2
48	7	TC							S	35X48-7TC-RS/CW	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.










OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER							
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX	
35	44.5	4.78	VC	2	35X44.5-4.78VC-R2		
	45	6	SC	2	35X45-6SC-R2		
	45	7	SC	2	35X45-7SC-R2		
	47	5	SC	2	35X47-5SC-R2		
	47	7	SC	2	35X47-7SC-R2		
	47	7	TC	2	35X47-7TC-R2		
	48	7	TC	PA	35X48-7TC-RPA		
	48	7	TC	S	35X48-7TC-RS/CW		
	50	7	SC	2	35X50-7SC-R2		
	50	7	TC	2	35X50-7TC-R2-CW		
	50	7	TC	2	35X50-7TC-R2		
	50	7	TC	V	35X50-7TC-RV-CW		
	50	7.7	TC	V	35X50-7.7TC-RV		
	50	8	TC	V	35X50-8TC-RV/CCW		
	50	10	SC	2	35X50-10SC-R2		
	50	10	TB	2	35X50-10TB-C2		
	52	7	SC	2	35X52-7SC-R2		
	55	8	SC	2	35X55-8SC-R2		
	55	8	SC	2	35X55-8SC-R2		
	55	10	SC	2	35X55-10SC-R2		
	55	11	THAX	2	35X55-11THAX-R2		
	60	10	SC	2	35X60-10SC-R2		
	60	11.5	TC5	V	35X60-11.5TC5-RV		
	62	7	SC	2	35X62-7SC-R2		
	62	7	TC	2	35X62-7TC-R2		
	62	10	SC	2	35X62-10SC-R2		
	62	12	TC	2	35X62-12TC-R2		
	68	6	TC	2	35X68-6TC-R2		
	72	10	SC	2	35X72-10SC-R2		
	72	12	SC	2	35X72-12SC-R2		
78	9	TC	HN	35X78-9TC-RHN			
36	47	7	SC	2		36X47-7SC-R2	
	47	7	TC	2		36X47-7TC-R2	
	48	7	TC	S		36X48-7TC-RS-CW	
	50	7	SC	2		36X50-7SC-R2	
	50	8	TCAX	2		36X50-8TCAX-C2	
	52	7	TC	2		36X52-7TC-R2	
	62	7	TC	2		36X62-7TC-R2	
36.51	47	7	TC	2		36.51X47-7TC-R2	
	72	7	TC	V		36.51X72-7TC-R2	
38	50	7	SC	2	38X50-7SC-R2		
	52	7	SC	2	38X52-7SC-R2		
	52	7	TC	2	38X52-7TC-R2		
	52	8	SC	2	38X52-8SC-R2		
	54	10	SC	2	38X54-10SC-R2		
	55	7	SC	2	38X55-7SC-R2		

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (METRIC)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER						
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L							
SC													
TC		38	55	7	TC	2	38X55-7TC-R2						
			55	9	TC	PA	38X55-97TC-RPA/CW						
			56	10	SC	2	38X56-10SC-R2						
			58	11	TBY	2	38X58-11TBY-G2						
			62	7	SC	2	38X62-7SC-R2						
VC		38.1	52	7	SC	2	38.1X52-7SC-R2						
								39	50.3	8.5	TC	PA	39X50.3-8.5TC-RPA
KC		40	49	4	WPCX	4	40X49-4WPCX-R4						
			52	7	SC	2	40X52-7SC-R2						
			52	7	TC	2	40X52-7TC-R2						
			55	7	SC	2	40X55-7SC-R2						
			55	7	TC	2	40X55-7TC-R2						
			55	8	TC	2	40X55-8TC-R2						
SBY		55	55	8	TCX	V	40X50-8YCX-RV						
			55	8	TC	PA	40X50-9TC-RPA/CW						
			55	9	TC	PA	40X50-9TC-RPA/CW						
			55	10	SC	2	40X55-10SC-R2						
			55.87	8	SBY	2	40X55.87-8SBY-P2						
TBY		60	56	8	SBY	2	40X56-8SBY-P2						
			56	8	SC	2	40X56-8SC-R2						
			60	8	SC	2	40X60-8SC-R2						
			60	10	SC	2	40X60-10SC-R2						
			60	10	TC	2	40X60-10TC-R2						
			62	7	SC	2	40X62-7SC-R2						
VBY		62	62	7	SC	V	40X62-7SC-RV						
			62	7	TC	2	40X62-7TC-R2						
			62	8	SBY	2	40X62-8SBY-C2						
			62	10	SC	2	40X62-10SC-R2						
			68	10	SC	2	40X68-10SC-R2						
KBY		72	72	7	SC	2	40X72-7SC-R2						
			72	7	TC	2	40X72-7TC-R2						
			72	10	SC	2	40X72-10SC-R2						
			72	12	SC	2	40X72-12SC-R2						
			76	7	TC	PA	40X76-7TC-RPA						
TAX		80	80	8	SC	2	40X80-8SC-R2						
			80	10	SC	2	40X80-10SC-R2						
			40.08	50.08	4.06	VC	2	40.08X50.8-4.06VC-R2					
SAX		41	53	7	TAX	2	41X53-7TAX-G2						
			53	7	TC	2	41X53-7TC-R2						
TAX		42	52	8	TC	2	42X52-8TC-R2						
			55	7	TC	2	42X55-7TC-R2						
			55	8	SC	2	42X55-8SC-R2						

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.












OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER							
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX	
42	55	8	TC	2	42X55-8TC-R2		
	56	7	SC	2	42X56-7SC-R2		
	56	7	SC	S	42X56-7SC-RS-CW		
	58	7	KC	2	42X58-7KC-R2		
	58	7	TBY	2	42X58-7TBY-CV/CW		
	62	10	SC	2	42X62-10SC-R2		
	62	12	SC	2	42X62-12SC-R2		
	62	8	SC	2	42X62-8SC-R2		
	62	8	TC	2	42X62-8TC-R2		
	72	8	SC	2	42X72-8SC-R2		
	42.6	59.4	8.9	TBY	VM		
43	54	11	TC	2	43X54-11TC-R2		
	55	10.5	TC4	2	43X55-10.5TC4-R2		
	55.5	5	VCX	2	43X55.5-5VCX-R2		
	72	6.5	KC	V	43X72-6.5KC-RV		
44	62	10	SC	2	44X62-10SC-R2		
44.27	61.98	12	DC	PA	44.27X61.98-12DC-RPA		
	61.98	12	DC	HN	44.27X61.98-12DC-RHN		
45	52	4	VB	2	45X52-4VB-C2		
	58	7	SC	2	45X58-7SC-R2		
	58	7	TC	2	45X58-7TC-R2		
	60	7	SC	2	45X60-7SC-R2		
	60	7	TC	2	45X60-7TC-R2		
	60	8	TC	2	45X60-8TC-R2		
	60	10	SC	2	45X60-10SC-R2		
	60	10	TC	2	45X60-10TC-R2		
	62	8	SC	2	45X62-8SC-R2		
	62	8	TC	2	45X62-8TC-R2		
	62	10	SC	2	45X62-10SC-R2		
	62	12	TC	2	45X62-12TC-R2		
	65	8	SC	2	45X65-8SC-R2		
	65	10	SC	2	45X65-10SC-R2		
	68	12	TC	2	45X68-12TC-R2		
	72	8	SC	2	45X72-8SC-R2		
	75	8	TC	2	45X75-8TC-R2		
	85	10	SC	2	45X85-10SC-R2		
	90	10	SC	2	45X90-10SC-R2		
47	65	8	SC	2	47X65-8SC-R2		
47.57	69.85	12	DC	PA	47.57X69.85-12DC-RPA		
47.9	69.8	13	TC3X	PA	47.9X69.8-13TC3X-RPA		
	69.85	12	TC3X	PA	47.9X69.85-12TC3X-RPA		
							
						TC3	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.











SIZE LISTING (METRIC)

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
	SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC	48	58	4	VC	2	48X58-4VC-R2
TC		62	7	TAX	2	48X62-7TAX-G2
		62	8	SC	2	48X62-8SC-R2
VC		62	10	TC	2	48X62-10TC-R2
		65	10	SC	2	48X65-10SC-R2
		70	9	TC	2	48X70-9TC-R2/CW
		70	12	TC	2	48X70-12TC-R2
		72	5.95	KCX	3	48X72-5.95KCX-R3
		72	7	SC	2	48X72-7SC-R2
		72	8	SC	2	48X72-8SC-R2
	72	8	TC	2	48X72-8TC-R2	
KC	72.5	10	TC	2	48X72.5-10TC-R2	
	80	10	SC	2	48X80-10SC-R2	
	50	58	4	WPX	2	50X58-4WPX-C2
58		7	SC4	2	50X58-7SC4-R2	
59		4	WPC	2	50X59-4WPC-R2	
SBY		62	7	SC	2	50X62-7SC-R2
		62	10	SC	2	50X62-10SC-R2
		65	8	SC	2	50X65-8SC-R2
		65	8	TC	2	50X65-8TC-R2
		68	8	SC	2	50X68-8SC-R2
		68	9	TC	5	50X68-9TC-RS/CW
		70	10	SC	2	50X70-10SC-R2
	70	10	TC	2	50X70-10TC-R2	
	70	12	SC	2	50X70-12SC-R2	
	72	8	SC	2	50X72-8SC-R2	
TBY	72	8	TC	2	50X72-8TC-R2	
	72	10	SC	2	50X72-10SC-R2	
	72	10	TC	2	50X72-10TC-R2	
	75	10	TC	2	50X75-10TC-R2	
VBY	80	8	SC	2	50X80-8SC-R2	
	80	10	SC	2	50X80-10SC-R2	
	85	10	SC	2	50X85-10SC-R2	
KBY	90	10	SC	2	50X90-10SC-R2	
	50.3	10	3	VCX	2	50.3X10-3VCX-R2
SAX	50.75	66.59	7.5	KCAX	2	50.75X66.59-7.5KCAX-C2
	51	72	10	SC	2	51X72-10SC-R2
TAX	52	68	8	SC	2	52X68-8SC-R2
	52	72	8	SC	2	52X72-8SC-R2
TAX	54	72	10	TC	2	54X72-10TC-R2
	54	72.5	9	TC	2	54X72.5-9TC-R2
TAX	54.5	65	8	SBY	V	54.5X65-8SBY-CV








Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
54.8	77.77	8.5	TC	PA	54.8X77.77-8.5TC-RPA	
55	70	8	SC	2	55X70-8SC-R2	
	70	8	TC	2	55X70-8TC-R2	
	72	8	SC	2	55X72-8SC-R2	
	72	10	SC	2	55X72-10SC-R2	
	75	10	SC	2	55X75-10SC-R2	
	75	12	SC	2	55X75-12SC-R2	
	78	8	SC	2	55X78-8SC-R2	
	80	8	SC	2	55X80-8SC-R2	
	80	10	SC	2	55X80-10SC-R2	
	80	10	SC	S	55X80-10SC-RS	
	85	8	SC	2	55X85-8SC-R2	
	85	8	TC	2	55X85-8TC-R2	
	85	8	TC	V	55X85-8TC-RV	
	90	10	SC	2	55X90-10SC-R2	
	90	13	SC	2	55X90-13SC-R2	
100	12	SC	2	55X100-12SC-R2		
56	72	8	SC	2		56X72-8SC-R2
	72	10	TBY	2		56X72-10TBY-G2
	81	15.5	TBY	V		56X81-15.5TBY-PV/CW
	85	8	SC	2		56X85-8SC-R2
58	72	8	SC	2	58X72-8SC-R2	
	76	6	TC	VM	58X76-6TC-RVM	
	80	8	SC	2	58X80-8SC-R2	
	80	9	TC	2	58X80-9TC-R2	
	80	10	SC	2	58X80-10SC-R2	
58.1	76.2	6.2	TC	HN	58.1X76.2-6.2TC-RHN	
59	72	6.5	KC	V	59X72-6.5KC-RV	SBS
	110	10	TC	V	59X110-10TC-RV	
60	72	8	SC	2	60X72-8SC-R2	
	75	8	SC	2	60X75-8SC-R2	
	75	8	TC	2	60X75-8TC-R2	
	78	10	SC	2	60X78-10SC-R2	
	80	8	SC	2	60X80-8SC-R2	
	80	8	TC	2	60X80-8TC-R2/CCW	
	80	10	SC	2	60X80-10SC-R2	
	80	10	TC	2	60X80-10TC-R2	
	85	8	SC	2	60X85-8SC-R2	
	85	8	TC	2	60X85-8TC-R2	
	85	10	SC	2	60X85-10SC-R2	
	85	12	SC	2	60X85-12SC-R2	
	85	13	SC	2	60X85-13SC-R2	
	90	8	SC	2	60X90-8SC-R2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
SC		60	90	10	SC	2	60X90-10SC-R2
			95	10	SC	2	60X95-10SC-R2
TC		60.45	76.18	10	TC	V	60.45X76.18-10TC-RV/CCW
		61.47	76.20	8.6	KCAX	2	61.47X76.20-8.6KCAX-C2
VC		62	80	10	SC	2	62X80-10SC-R2
			85	10	SC	2	62X85-10SC-R2
			85	10	TC	2	62X85-10TC-R2
			90	10	SC	2	62X90-10SC-R2
			90	10	TC	2	62X90-10TC-R2
KC		63	85	10	SC	2	63X85-10SC-R2
		64	80	8	SC	2	64X80-8SC-R2
SBY		65	80	8	SC	2	65X80-8SC-R2
			85	10	SC	2	65X85-10SC-R2
			90	10	SC	2	65X90-10SC-R2
			90	13	SC	2	65X90-13SC-R2
			100	10	SC	2	65X100-10SC-R2
			100	12	SC	2	65X100-12SC-R2
TBY			110	10	SC	2	65X110-10SC-R2
			110	10	TC	V	65X110-10TC-RV
		68	85	10	SBY	2	68X85-10SBY-C2
			90	10	TC	2	68X90-10TC-R2
			90	10	TC	V	68X90-10TC-RV
VBY			90	13	SC	2	68X90-13SC-R2
			100	10	SC	2	68X100-10SC-R2
			100	10	TC	2	68X100-10TC-R2
		70	85	8	SC	2	70X85-8SC-R2
			90	10	SC	V	70X90-10SC-RV
			90	10	SC	2	70X90-10SC-R2
KBY			90	10	SC	2	70X90-10TC-R2
			90	13	SC	2	70X90-13SC-R2
			95	13	SC	2	70X95-13SC-R2
			100	10	SC	2	70X100-10SC-R2
			100	10	TC	2	70X100-10TC-R2
SAX			100	13	SB	2	70X100-13SB-G2
			110	13	SC	2	70X110-13SC-R2
		72	90	8	SC	2	72X90-8SC-R2
			90	10	SC	2	72X90-10SC-R2
TAX			92	9.5	TC	V	72X92-10TC-RV/CCW
			95	10	TC	2	72X95-10TC-R2

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.











OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
72	95	13	SC	2	72X95-13SC-R2	
	100	10	SC	2	72X100-10SC-R2	
	100	10	TC	2	72X100-10TC-R2	
74.61	101.8	15.87	TAX	2	74.61X101.8-15.87TAX-G2	KCAX
75	90	8	SC	2	75X90-8SC-R2	
	95	10	SC	2	75X95-10SC-R2	
	95	10	TC	2	75X95-10TC-R2	
	95	12	SC	2	75X95-12SC-R2	
	100	10	SC	2	75X100-10SC-R2	
	100	10	TC	2	75X100-10TC-R2	
	100	13	SC	2	75X100-13SC-R2	
	110	13	SC	2	75X110-13SC-R2	
	115	9.53	TBY	2	75X115-9.53TBY-C2	
76	93	10	TC	2	76X93-10TC-R2/CCW	KAX
77.6	100	10.5	TCX	2	77.6X100-10.5TCX-R2	
78	100	10	SC	2	78X100-10SC-R2	TCS
	100	10	TC	2	78X100-10TC-R2	
78.97	112.9	9	SB	2	78.97X112.9-9SB-C2	
79	95.3	11	TCX	S	79X95.3-11TCX-RS/CCW	SCS
79.5	125	10	SBHP	2	79.5X125-10SBHP-C2	
	125	10	SBHP	PA	79.5X125-10SBHP-CPA	
	125	10	TBHP	2	79.5X125-10TBHP-C2	
	125	10	TBHP	PA	79.5X125-10TBHP-CPA	
80	100	10	SC	2	80X100-10SC-R2	SBS
	100	10	TC	2	80X100-10TC-R2	
	100	12	TC	S	80X100-12TC-RS/CCW	
	100	13	TC	2	80X100-13TC-R2	
	105	13	SAX	2	80X105-13SAX-G2	
	105	13	SC	2	80X105-13SC-R2	
	110	10	SC	2	80X110-10SC-R2	
	110	10	TC	2	80X110-10TC-R2	
	110	13	SC	2	80X110-13SC-R2	
	120	13	SC	2	80X120-13SC-R2	
	80.5	100	10	TC	V	
82	105	12	TCT5	V	82X105-12TCT5-RV/CCW	
84	104	11	TC	S	84X104-11TC-RS/CCW	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (METRIC)













		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					PART NUMBER
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	
SC							
TC		85	100	12	SC	2	85X100-12SC-R2
			110	12	SC	2	85X110-12SC-R2
			110	12	TC	2	85X110-12TC-R2
			110	13	SC	2	85X110-13SC-R2
			110	13	TC	PA	85X110-13TC-RPA
VC			110	13	TC	2	85X110-13TC-R2
			120	12	SC	2	85X120-12SC-R2
			120	12	TC	2	85X120-12TC-R2
			125	7	SC	2	85X125-7SC-R2
	130	12	SC	2	85X130-12SC-R2		
KC		85.73	111.25	14.22	SAX	2	85.73X111.25-14.22SAX-G2
		86	104	11	TC	V	86X104-11TC-RV-CCW
		88	108	11	SC	V	88X108-11SC-RV/CCW
SBY		90	104	11	TC	V	90X104-11TC-RV/CCW
			110	9	TC	S	90X110-9TC-RS/CCW
			110	12	SC	2	90X110-12SC-R2
			115	12	TBY	2	90X115-12TBY-C2
			120	12	SC	2	90X120-12SC-R2
TBY			125.5	20.5	LBX	PA	90X125.5-20.5LBX-CPA
		91	111	9	TC	S	91X111-9TC-RS/CCW
VBY		95	115	12.7	TCX	V	95X115-12.7TCX-RV
			118	8.5	TC	S	95X118-8.5TC-RS/CCW
			120	12	SC	2	95X120-12SC-R2
			120	12	TC	2	95X120-12TC-R2
			120	13	SC	2	95X120-13SC-R2
			125	12	SC	2	95X125-12SC-R2
KBY		100	120	10	SC	2	100X120-10SC-R2
			120	12	SC	2	100X120-12SC-R2
			120	13	SC	2	100X120-13SC-R2
			120	13	SC	V	100X120-13SC-RV
			125	12	SC	2	100X125-12SC-R2
			125	12	TC	2	100X125-12TC-R2
			130	12	SB	2	100X130-12SB-C2
SAX			130	12	SBY	2	100X130-12SBY-G2
			130	12	SC	2	100X130-12SC-R2
			140	12	SC	2	100X140-12SC-R2
			140	12	SC	2	100X140-12SC-R2
TAX		105	130	12	SC	2	105X130-12SC-R2
			130	13	SC	2	105X130-13SC-R2
			140	12	SC	2	105X140-12SC-R2

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER						
SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER	TCAX
107.95	136.45	12.7	SC	2	107.95X136.45-12.7SC-R2	 KCAX
110	130	10	TC	V	110X130-10TC-RV/CCW	
	130	12	SC	2	110X130-12SC-R2	
	140	12	SC	2	110X140-12SC-R2	
	145	12	SBY	2	110X145-12SBY-C2	
115	140	12	SC	2	115X140-12SC-R2	 VAX
	150	12	SC	2	115X150-12SC-R2	
120	140	13	SC	2	120X140-13SC-R2	 KAX
	150	12	SC	2	120X150-12SC-R2	
125	150	12	SC	2	125X150-12SC-R2	 TCS
	160	12	SC	2	125X160-12SC-R2	
128	146	12.5	TC	2	128X146-12.5TC-R2	 SCS
130	160	12	SC	2	130X160-12SC-R2	
	160	14	TC	2	130X160-14TC-R2	
	160	15	TC	2	130X160-15TC-R2	
	170	12	SC	2	130X170-12SC-R2	
135	170	12	SC	2	135X170-12SC-R2	 SBS
145	175	13	SAX	V	145X175-13SAX-GV	
	175	13	SAX	2	145X175-13SAX-G2	
	175	14	TBY	2	145X175-14TBY-G2	
	175	15	SC	2	145X175-15SC-R2	
	180	12	SC	2	145X180-12SC-R2	
	180	13	SC	2	145X180-13SC-R2	
150	180	12	SC	2	150X180-12SC-R2	 DC
	180	15	SC	2	150X180-15SC-R2	
155	180	15	TC	2	155X180-15TC-R2	 DB
160	185	10	SC	2	160X185-10SC-R2	
	190	15	SC	2	160X190-15SC-R2	
170	200	15	SC	2	170X200-15SC-R2	 TC3
175	200	15	SC	2	175X200-15SC-R2	
180	220	15	SC	2	180X220-15SC-R2	
185	210	13	SC	2	185X210-13SC-R2	
190	220	15	SC	2	190X220-15SC-R2	

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.

SIZE LISTING (METRIC)

		OIL SEAL SIZES AND TYPES BY SHAFT DIAMETER					
		SHAFT SIZE	BORE DIA.	SEAL WIDTH	LIP STYLE	DEVRIES MAT'L	PART NUMBER
100							
	SC						
		200	230	15	SC	2	200X230-15SC-R2
		220	250	15	SC	2	220X250-15SC-R2
	TC	340	372	16	SC	2	340X372-16SC-R2
			380	20	SAX	2	340X380-20SAX-C2
	VC						
							
	KC						
							
	SBY						
							
TBY							
							
VBY							
							
KBY							
							
SAX							
							
TAX							
							

Additional tooled sizes are available. For further information and engineering assistance, contact your nearest deVries International sales office. All sizes shown above can be ordered in any elastomer and metal shown in the materials section of this handbook.